

**Barge MMLP 2601**  
**Official NO. 1225508**

Formerly TM-17  
Hull NO: C & C Marine #146

**TANK NO. 1 PORT**  
**INNAGE TABLE**



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 10'-8 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	43	0	2,247	0	4,890	0	7,533	0	10,176	0	12,819	0	15,462	0	18,079	0	
1/4	1	1/4	50	1/4	2,302	1/4	4,945	1/4	7,588	1/4	10,231	1/4	12,874	1/4	15,517	1/4	18,133	1/4	
1/2	2	1/2	57	1/2	2,357	1/2	5,000	1/2	7,643	1/2	10,286	1/2	12,929	1/2	15,572	1/2	18,187	1/2	
3/4	3	3/4	64	3/4	2,412	3/4	5,055	3/4	7,698	3/4	10,341	3/4	12,984	3/4	15,627	3/4	18,242	3/4	
1	4	1	70	1	2,467	1	5,110	1	7,753	1	10,396	1	13,039	1	15,682	1	18,296	1	
1/4	4	1/4	91	1/4	2,522	1/4	5,165	1/4	7,808	1/4	10,451	1/4	13,094	1/4	15,737	1/4	18,351	1/4	
1/2	5	1/2	112	1/2	2,577	1/2	5,220	1/2	7,863	1/2	10,506	1/2	13,149	1/2	15,792	1/2	18,405	1/2	
3/4	6	3/4	132	3/4	2,632	3/4	5,275	3/4	7,918	3/4	10,561	3/4	13,204	3/4	15,847	3/4	18,460	3/4	
2	7	2	153	2	2,687	2	5,330	2	7,973	2	10,616	2	13,259	2	15,902	2	18,514	2	
1/4	8	1/4	187	1/4	2,742	1/4	5,385	1/4	8,028	1/4	10,671	1/4	13,314	1/4	15,957	1/4	18,569	1/4	
1/2	9	1/2	222	1/2	2,797	1/2	5,440	1/2	8,083	1/2	10,726	1/2	13,369	1/2	16,012	1/2	18,623	1/2	
3/4	10	3/4	256	3/4	2,853	3/4	5,495	3/4	8,138	3/4	10,781	3/4	13,424	3/4	16,067	3/4	18,677	3/4	
3	11	3	291	3	2,908	3	5,551	3	8,194	3	10,837	3	13,480	3	16,122	3	18,732	3	
1/4	12	1/4	339	1/4	2,963	1/4	5,606	1/4	8,249	1/4	10,892	1/4	13,535	1/4	16,176	1/4	18,786	1/4	
1/2	13	1/2	387	1/2	3,018	1/2	5,661	1/2	8,304	1/2	10,947	1/2	13,590	1/2	16,230	1/2	18,841	1/2	
3/4	13	3/4	435	3/4	3,073	3/4	5,716	3/4	8,359	3/4	11,002	3/4	13,645	3/4	16,284	3/4	18,895	3/4	
4	14	4	484	4	3,128	4	5,771	4	8,414	4	11,057	4	13,700	4	16,339	4	18,950	4	
1/4	15	1/4	539	1/4	3,183	1/4	5,826	1/4	8,469	1/4	11,112	1/4	13,755	1/4	16,393	1/4	19,004	1/4	
1/2	16	1/2	594	1/2	3,238	1/2	5,881	1/2	8,524	1/2	11,167	1/2	13,810	1/2	16,447	1/2	19,059	1/2	
3/4	17	3/4	649	3/4	3,293	3/4	5,936	3/4	8,579	3/4	11,222	3/4	13,865	3/4	16,501	3/4	19,113	3/4	
5	18	5	704	5	3,348	5	5,991	5	8,634	5	11,277	5	13,920	5	16,556	5	19,167	5	
1/4	19	1/4	759	1/4	3,403	1/4	6,046	1/4	8,689	1/4	11,332	1/4	13,975	1/4	16,610	1/4	19,222	1/4	
1/2	20	1/2	814	1/2	3,458	1/2	6,101	1/2	8,744	1/2	11,387	1/2	14,030	1/2	16,664	1/2	19,276	1/2	
3/4	21	3/4	869	3/4	3,513	3/4	6,156	3/4	8,799	3/4	11,442	3/4	14,085	3/4	16,718	3/4	19,331	3/4	
6	22	6	924	6	3,568	6	6,211	6	8,854	6	11,497	6	14,140	6	16,773	6	19,385	6	
1/4	22	1/4	979	1/4	3,623	1/4	6,266	1/4	8,909	1/4	11,552	1/4	14,195	1/4	16,827	1/4	19,432	1/4	
1/2	23	1/2	1,035	1/2	3,678	1/2	6,321	1/2	8,964	1/2	11,607	1/2	14,250	1/2	16,881	1/2	19,478	1/2	
3/4	24	3/4	1,090	3/4	3,733	3/4	6,376	3/4	9,019	3/4	11,662	3/4	14,305	3/4	16,936	3/4	19,525	3/4	Trim Correction
7	25	7	1,145	7	3,789	7	6,432	7	9,075	7	11,718	7	14,361	7	16,990	7	19,571	7	-1' 0"
1/4	26	1/4	1,200	1/4	3,844	1/4	6,487	1/4	9,130	1/4	11,773	1/4	14,416	1/4	17,044	1/4	19,602	1/4	-9"
1/2	27	1/2	1,255	1/2	3,899	1/2	6,542	1/2	9,185	1/2	11,828	1/2	14,471	1/2	17,099	1/2	19,633	1/2	-6"
3/4	28	3/4	1,310	3/4	3,954	3/4	6,597	3/4	9,240	3/4	11,883	3/4	14,526	3/4	17,153	3/4	19,664	3/4	-3"
8	29	8	1,365	8	4,009	8	6,652	8	9,295	8	11,938	8	14,581	8	17,208	8	19,695	8	Even
1/4	30	1/4	1,420	1/4	4,064	1/4	6,707	1/4	9,350	1/4	11,993	1/4	14,636	1/4	17,262	1/4	19,710	1/4	3"
1/2	31	1/2	1,475	1/2	4,119	1/2	6,762	1/2	9,405	1/2	12,048	1/2	14,691	1/2	17,316	1/2	19,725	1/2	6"
3/4	31	3/4	1,530	3/4	4,174	3/4	6,817	3/4	9,460	3/4	12,103	3/4	14,746	3/4	17,371	3/4	19,740	3/4	9"
9	32	9	1,586	9	4,229	9	6,872	9	9,515	9	12,158	9	14,801	9	17,425	9	19,755	9	1' 0"
1/4	33	1/4	1,641	1/4	4,284	1/4	6,927	1/4	9,570	1/4	12,213	1/4	14,856	1/4	17,480	1/4	19,762	1/4	1' 3"
1/2	34	1/2	1,696	1/2	4,339	1/2	6,982	1/2	9,625	1/2	12,268	1/2	14,911	1/2	17,534	1/2	19,769	1/2	1' 6"
3/4	35	3/4	1,751	3/4	4,394	3/4	7,037	3/4	9,680	3/4	12,323	3/4	14,966	3/4	17,589	3/4		3/4	1' 9"
10	36	10	1,806	10	4,449	10	7,092	10	9,735	10	12,378	10	15,021	10	17,643	10		10	2' 0"
1/4	37	1/4	1,861	1/4	4,504	1/4	7,147	1/4	9,790	1/4	12,433	1/4	15,076	1/4	17,698	1/4		1/4	2' 3"
1/2	38	1/2	1,916	1/2	4,559	1/2	7,202	1/2	9,845	1/2	12,488	1/2	15,131	1/2	17,752	1/2		1/2	2' 6"
3/4	39	3/4	1,971	3/4	4,614	3/4	7,257	3/4	9,900	3/4	12,543	3/4	15,186	3/4	17,806	3/4		3/4	2' 9"
11	40	11	2,026	11	4,670	11	7,313	11	9,956	11	12,599	11	15,242	11	17,861	11		11	3' 0"
1/4	40	1/4	2,081	1/4	4,725	1/4	7,368	1/4	10,011	1/4	12,654	1/4	15,297	1/4	17,915	1/4		1/4	3' 3"
1/2	41	1/2	2,137	1/2	4,780	1/2	7,423	1/2	10,066	1/2	12,709	1/2	15,352	1/2	17,970	1/2		1/2	3' 6"
3/4	42	3/4	2,192	3/4	4,835	3/4	7,478	3/4	10,121	3/4	12,764	3/4	15,407	3/4	18,024	3/4		3/4	3' 9"

NOTE: CAPACITY TABLE APPLIES ONLY TO MANUAL INNAGES TAKEN AT THE MANWAY HATCH CLOSE TO THE HINGE.

NOTE: GAUGE POINT LOCATED 1' 3" FROM AFT BULKHEAD AND 11" OFF CENTERLINE - APPLY TRIM CORRECTION WHEN REQUIRED

NOTE: SUBTRACT TRIM CORRECTION FOR TRIM BY THE STERN (INNAGE GAUGING)

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

NOTE: GAUGING HEIGHT EXTENDS INTO 12' SUMP - IF GAUGING OUTSIDE OF SUMP, ADD 12" TO INNAGE READING

DATE STRAPPED 6/4/2010 BY: PJM

DATE COMPUTED: 6/9/2010 BY: WHF

DATE ISSUED: 6/10/2010

**INTERTEK**

# Barge MMLP 2601

## Official NO. 1225508

Formerly TM-17  
Hull NO: C & C Marine #146

## TANK NO. 1 STBD

### INNAGE TABLE



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 10'-8 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	43	0	2,258	0	4,890	0	7,533	0	10,175	0	12,817	0	15,459	0	18,075	0	
1/4	1	1/4	50	1/4	2,313	1/4	4,945	1/4	7,588	1/4	10,230	1/4	12,872	1/4	15,514	1/4	18,130	1/4	
1/2	2	1/2	57	1/2	2,369	1/2	5,001	1/2	7,643	1/2	10,285	1/2	12,927	1/2	15,570	1/2	18,184	1/2	
3/4	3	3/4	64	3/4	2,424	3/4	5,056	3/4	7,698	3/4	10,340	3/4	12,982	3/4	15,625	3/4	18,239	3/4	
1	4	1	70	1	2,480	1	5,111	1	7,753	1	10,395	1	13,037	1	15,680	1	18,293	1	
1/4	4	1/4	91	1/4	2,534	1/4	5,166	1/4	7,808	1/4	10,450	1/4	13,092	1/4	15,735	1/4	18,348	1/4	
1/2	5	1/2	112	1/2	2,588	1/2	5,221	1/2	7,863	1/2	10,505	1/2	13,147	1/2	15,790	1/2	18,402	1/2	
3/4	6	3/4	133	3/4	2,643	3/4	5,276	3/4	7,918	3/4	10,560	3/4	13,203	3/4	15,845	3/4	18,456	3/4	
2	7	2	153	2	2,697	2	5,331	2	7,973	2	10,615	2	13,258	2	15,900	2	18,511	2	
1/4	8	1/4	188	1/4	2,751	1/4	5,386	1/4	8,028	1/4	10,670	1/4	13,313	1/4	15,955	1/4	18,565	1/4	
1/2	9	1/2	223	1/2	2,806	1/2	5,441	1/2	8,083	1/2	10,725	1/2	13,368	1/2	16,009	1/2	18,620	1/2	
3/4	10	3/4	257	3/4	2,860	3/4	5,496	3/4	8,138	3/4	10,780	3/4	13,423	3/4	16,064	3/4	18,674	3/4	
3	11	3	292	3	2,914	3	5,551	3	8,193	3	10,835	3	13,478	3	16,119	3	18,729	3	
1/4	12	1/4	340	1/4	2,969	1/4	5,606	1/4	8,248	1/4	10,891	1/4	13,533	1/4	16,173	1/4	18,783	1/4	
1/2	13	1/2	389	1/2	3,023	1/2	5,661	1/2	8,303	1/2	10,946	1/2	13,588	1/2	16,228	1/2	18,837	1/2	
3/4	13	3/4	437	3/4	3,077	3/4	5,716	3/4	8,358	3/4	11,001	3/4	13,643	3/4	16,282	3/4	18,892	3/4	
4	14	4	486	4	3,132	4	5,771	4	8,413	4	11,056	4	13,698	4	16,336	4	18,946	4	
1/4	15	1/4	541	1/4	3,186	1/4	5,826	1/4	8,468	1/4	11,111	1/4	13,753	1/4	16,390	1/4	19,001	1/4	
1/2	16	1/2	597	1/2	3,240	1/2	5,881	1/2	8,524	1/2	11,166	1/2	13,808	1/2	16,445	1/2	19,055	1/2	
3/4	17	3/4	652	3/4	3,295	3/4	5,936	3/4	8,579	3/4	11,221	3/4	13,863	3/4	16,499	3/4	19,109	3/4	
5	18	5	707	5	3,349	5	5,991	5	8,634	5	11,276	5	13,918	5	16,553	5	19,164	5	
1/4	19	1/4	763	1/4	3,404	1/4	6,046	1/4	8,689	1/4	11,331	1/4	13,973	1/4	16,607	1/4	19,218	1/4	
1/2	20	1/2	818	1/2	3,459	1/2	6,101	1/2	8,744	1/2	11,386	1/2	14,028	1/2	16,662	1/2	19,273	1/2	
3/4	21	3/4	873	3/4	3,514	3/4	6,157	3/4	8,799	3/4	11,441	3/4	14,083	3/4	16,716	3/4	19,327	3/4	
6	22	6	929	6	3,569	6	6,212	6	8,854	6	11,496	6	14,138	6	16,770	6	19,382	6	
1/4	22	1/4	984	1/4	3,624	1/4	6,267	1/4	8,909	1/4	11,551	1/4	14,193	1/4	16,824	1/4	19,428	1/4	
1/2	23	1/2	1,040	1/2	3,679	1/2	6,322	1/2	8,964	1/2	11,606	1/2	14,248	1/2	16,879	1/2	19,475	1/2	
3/4	24	3/4	1,095	3/4	3,734	3/4	6,377	3/4	9,019	3/4	11,661	3/4	14,303	3/4	16,933	3/4	19,521	3/4	Trim Correction
7	25	7	1,150	7	3,790	7	6,432	7	9,074	7	11,716	7	14,358	7	16,987	7	19,568	7	-1' 0"
1/4	26	1/4	1,206	1/4	3,845	1/4	6,487	1/4	9,129	1/4	11,771	1/4	14,414	1/4	17,041	1/4	19,598	1/4	-9"
1/2	27	1/2	1,261	1/2	3,900	1/2	6,542	1/2	9,184	1/2	11,826	1/2	14,469	1/2	17,096	1/2	19,629	1/2	-6"
3/4	28	3/4	1,317	3/4	3,955	3/4	6,597	3/4	9,239	3/4	11,881	3/4	14,524	3/4	17,150	3/4	19,660	3/4	-3"
8	29	8	1,372	8	4,010	8	6,652	8	9,294	8	11,936	8	14,579	8	17,205	8	19,690	8	Even Nil
1/4	30	1/4	1,427	1/4	4,065	1/4	6,707	1/4	9,349	1/4	11,991	1/4	14,634	1/4	17,259	1/4	19,705	1/4	3"
1/2	31	1/2	1,483	1/2	4,120	1/2	6,762	1/2	9,404	1/2	12,047	1/2	14,689	1/2	17,314	1/2	19,720	1/2	6"
3/4	31	3/4	1,538	3/4	4,175	3/4	6,817	3/4	9,459	3/4	12,102	3/4	14,744	3/4	17,368	3/4	19,735	3/4	9"
9	32	9	1,594	9	4,230	9	6,872	9	9,514	9	12,157	9	14,799	9	17,422	9	19,750	9	1' 0"
1/4	33	1/4	1,649	1/4	4,285	1/4	6,927	1/4	9,569	1/4	12,212	1/4	14,854	1/4	17,477	1/4	19,757	1/4	1' 3"
1/2	34	1/2	1,704	1/2	4,340	1/2	6,982	1/2	9,624	1/2	12,267	1/2	14,909	1/2	17,531	1/2	19,764	1/2	1' 6"
3/4	35	3/4	1,760	3/4	4,395	3/4	7,037	3/4	9,680	3/4	12,322	3/4	14,964	3/4	17,586	3/4		3/4	1' 9"
10	36	10	1,815	10	4,450	10	7,092	10	9,735	10	12,377	10	15,019	10	17,640	10		10	2' 0"
1/4	37	1/4	1,870	1/4	4,505	1/4	7,147	1/4	9,790	1/4	12,432	1/4	15,074	1/4	17,695	1/4		1/4	2' 3"
1/2	38	1/2	1,926	1/2	4,560	1/2	7,202	1/2	9,845	1/2	12,487	1/2	15,129	1/2	17,749	1/2		1/2	2' 6"
3/4	39	3/4	1,981	3/4	4,615	3/4	7,257	3/4	9,900	3/4	12,542	3/4	15,184	3/4	17,803	3/4		3/4	2' 9"
11	40	11	2,037	11	4,670	11	7,313	11	9,955	11	12,597	11	15,239	11	17,858	11		11	3' 0"
1/4	40	1/4	2,092	1/4	4,725	1/4	7,368	1/4	10,010	1/4	12,652	1/4	15,294	1/4	17,912	1/4		1/4	3' 3"
1/2	41	1/2	2,147	1/2	4,780	1/2	7,423	1/2	10,065	1/2	12,707	1/2	15,349	1/2	17,967	1/2		1/2	3' 6"
3/4	42	3/4	2,203	3/4	4,835	3/4	7,478	3/4	10,120	3/4	12,762	3/4	15,404	3/4	18,021	3/4		3/4	3' 9"

NOTE: CAPACITY TABLE APPLIES ONLY TO MANUAL INNAGES TAKEN AT THE MANWAY HATCH CLOSE TO THE HINGE.

NOTE: GAUGE POINT LOCATED 1' 3" FROM AFT BULKHEAD AND 11" OFF CENTERLINE - APPLY TRIM CORRECTION WHEN REQUIRED

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

NOTE: GAUGING HEIGHT EXTENDS INTO 12" SUMP - IF GAUGING OUTSIDE OF SUMP, ADD 12" TO INNAGE READING

DATE STRAPPED 6/4/2010 BY: PJM

DATE COMPUTED: 6/9/2010 BY: WHF

DATE ISSUED: 6/10/2010

**INTERTEK**

# Barge MMLP 2601

## Official NO. 1225508

Formerly TM-17  
Hull NO: C & C Marine #146

## TANK NO. 2 PORT

### INNAGE TABLE



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 8'-7 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	256	0	5,159	0	10,275	0	15,392	0	20,509	0	25,626	0	30,743	0	35,825	0		0	
1/4	323	1/4	5,265	1/4	10,382	1/4	15,499	1/4	20,616	1/4	25,733	1/4	30,850	1/4	35,931	1/4		1/4	
1/2	389	1/2	5,372	1/2	10,488	1/2	15,605	1/2	20,722	1/2	25,839	1/2	30,956	1/2	36,037	1/2		1/2	
3/4	456	3/4	5,479	3/4	10,595	3/4	15,712	3/4	20,829	3/4	25,946	3/4	31,062	3/4	36,142	3/4		3/4	
1	522	1	5,585	1	10,701	1	15,818	1	20,936	1	26,053	1	31,169	1	36,248	1		1	
1/4	616	1/4	5,692	1/4	10,808	1/4	15,925	1/4	21,042	1/4	26,159	1/4	31,275	1/4	36,353	1/4		1/4	
1/2	709	1/2	5,798	1/2	10,915	1/2	16,032	1/2	21,149	1/2	26,266	1/2	31,381	1/2	36,459	1/2		1/2	
3/4	802	3/4	5,905	3/4	11,021	3/4	16,138	3/4	21,255	3/4	26,372	3/4	31,488	3/4	36,564	3/4		3/4	
2	895	2	6,011	2	11,128	2	16,245	2	21,362	2	26,479	2	31,594	2	36,670	2		2	
1/4	1,002	1/4	6,118	1/4	11,234	1/4	16,352	1/4	21,469	1/4	26,586	1/4	31,701	1/4	36,775	1/4		1/4	
1/2	1,109	1/2	6,224	1/2	11,341	1/2	16,458	1/2	21,575	1/2	26,692	1/2	31,807	1/2	36,881	1/2		1/2	
3/4	1,215	3/4	6,331	3/4	11,448	3/4	16,565	3/4	21,682	3/4	26,799	3/4	31,913	3/4	36,986	3/4		3/4	
3	1,322	3	6,437	3	11,554	3	16,671	3	21,788	3	26,905	3	32,020	3	37,092	3		3	
1/4	1,428	1/4	6,544	1/4	11,661	1/4	16,778	1/4	21,895	1/4	27,012	1/4	32,126	1/4	37,197	1/4		1/4	
1/2	1,535	1/2	6,650	1/2	11,768	1/2	16,885	1/2	22,002	1/2	27,119	1/2	32,233	1/2	37,303	1/2		1/2	
3/4	1,642	3/4	6,757	3/4	11,874	3/4	16,991	3/4	22,108	3/4	27,225	3/4	32,339	3/4	37,408	3/4		3/4	
4	1,748	4	6,864	4	11,981	4	17,098	4	22,215	4	27,332	4	32,445	4	37,514	4		4	
1/4	1,855	1/4	6,970	1/4	12,087	1/4	17,204	1/4	22,321	1/4	27,438	1/4	32,552	1/4	37,604	1/4		1/4	
1/2	1,961	1/2	7,077	1/2	12,194	1/2	17,311	1/2	22,428	1/2	27,545	1/2	32,658	1/2	37,694	1/2		1/2	
3/4	2,068	3/4	7,184	3/4	12,301	3/4	17,418	3/4	22,535	3/4	27,652	3/4	32,764	3/4	37,785	3/4		3/4	
5	2,175	5	7,290	5	12,407	5	17,524	5	22,641	5	27,758	5	32,871	5	37,875	5		5	
1/4	2,281	1/4	7,397	1/4	12,514	1/4	17,631	1/4	22,748	1/4	27,865	1/4	32,976	1/4	37,935	1/4		1/4	
1/2	2,388	1/2	7,503	1/2	12,620	1/2	17,737	1/2	22,854	1/2	27,971	1/2	33,082	1/2	37,995	1/2		1/2	
3/4	2,494	3/4	7,610	3/4	12,727	3/4	17,844	3/4	22,961	3/4	28,078	3/4	33,187	3/4	38,055	3/4		3/4	
6	2,601	6	7,717	6	12,834	6	17,951	6	23,068	6	28,185	6	33,293	6	38,114	6		6	
1/4	2,708	1/4	7,823	1/4	12,940	1/4	18,057	1/4	23,174	1/4	28,291	1/4	33,398	1/4	38,144	1/4		1/4	
1/2	2,814	1/2	7,930	1/2	13,047	1/2	18,164	1/2	23,281	1/2	28,398	1/2	33,504	1/2	38,173	1/2		1/2	
3/4	2,921	3/4	8,036	3/4	13,153	3/4	18,270	3/4	23,387	3/4	28,504	3/4	33,609	3/4	38,203	3/4		3/4	
7	3,027	7	8,143	7	13,260	7	18,377	7	23,494	7	28,611	7	33,715	7	38,232	7		7	
1/4	3,134	1/4	8,250	1/4	13,367	1/4	18,484	1/4	23,601	1/4	28,718	1/4	33,821	1/4	38,246	1/4		1/4	
1/2	3,241	1/2	8,356	1/2	13,473	1/2	18,590	1/2	23,707	1/2	28,824	1/2	33,926	1/2	38,260	1/2		1/2	
3/4	3,347	3/4	8,463	3/4	13,580	3/4	18,697	3/4	23,814	3/4	28,931	3/4	34,032	3/4		3/4		3/4	
8	3,454	8	8,569	8	13,686	8	18,803	8	23,920	8	29,037	8	34,137	8		8		8	
1/4	3,560	1/4	8,676	1/4	13,793	1/4	18,910	1/4	24,027	1/4	29,144	1/4	34,243	1/4		1/4		1/4	
1/2	3,667	1/2	8,783	1/2	13,900	1/2	19,017	1/2	24,134	1/2	29,251	1/2	34,348	1/2		1/2		1/2	
3/4	3,773	3/4	8,889	3/4	14,006	3/4	19,123	3/4	24,240	3/4	29,357	3/4	34,454	3/4		3/4		3/4	
9	3,880	9	8,996	9	14,113	9	19,230	9	24,347	9	29,464	9	34,559	9		9		9	
1/4	3,987	1/4	9,102	1/4	14,219	1/4	19,336	1/4	24,453	1/4	29,570	1/4	34,665	1/4		1/4		1/4	
1/2	4,093	1/2	9,209	1/2	14,326	1/2	19,443	1/2	24,560	1/2	29,677	1/2	34,770	1/2		1/2		1/2	
3/4	4,200	3/4	9,316	3/4	14,433	3/4	19,550	3/4	24,667	3/4	29,784	3/4	34,876	3/4		3/4		3/4	
10	4,306	10	9,422	10	14,539	10	19,656	10	24,773	10	29,890	10	34,981	10		10		10	
1/4	4,413	1/4	9,529	1/4	14,646	1/4	19,763	1/4	24,880	1/4	29,997	1/4	35,087	1/4		1/4		1/4	
1/2	4,520	1/2	9,635	1/2	14,752	1/2	19,869	1/2	24,986	1/2	30,104	1/2	35,192	1/2		1/2		1/2	
3/4	4,626	3/4	9,742	3/4	14,859	3/4	19,976	3/4	25,093	3/4	30,210	3/4	35,298	3/4		3/4		3/4	
11	4,733	11	9,849	11	14,966	11	20,083	11	25,200	11	30,317	11	35,403	11		11		11	
1/4	4,839	1/4	9,955	1/4	15,072	1/4	20,189	1/4	25,306	1/4	30,423	1/4	35,509	1/4		1/4		1/4	
1/2	4,946	1/2	10,062	1/2	15,179	1/2	20,296	1/2	25,413	1/2	30,530	1/2	35,614	1/2		1/2		1/2	
3/4	5,052	3/4	10,168	3/4	15,285	3/4	20,402	3/4	25,520	3/4	30,637	3/4	35,720	3/4		3/4		3/4	

NOTE: CAPACITY TABLE APPLIES ONLY TO MANUAL INNAGES TAKEN AT THE TOP LIP OF (MMC) VALVE.

NOTE: GAUGE POINT LOCATED IN GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

DATE STRAPPED 6/4/2010 BY: PJM  
DATE COMPUTED: 6/9/2010 BY: WHF  
DATE ISSUED: 6/10/2010

**INTERTEK**

**Barge MMLP 2601**  
**Official NO. 1225508**

Formerly TM-17  
Hull NO: C & C Marine #146

**TANK NO. 2 STBD**  
**INNAGE TABLE**



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 8'-7 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	256	0	5,159	0	10,255	0	15,360	0	20,464	0	25,569	0	30,673	0	35,726	0		0	
1/4	323	1/4	5,265	1/4	10,362	1/4	15,466	1/4	20,571	1/4	25,675	1/4	30,779	1/4	35,832	1/4		1/4	
1/2	389	1/2	5,371	1/2	10,468	1/2	15,572	1/2	20,677	1/2	25,781	1/2	30,885	1/2	35,937	1/2		1/2	
3/4	456	3/4	5,476	3/4	10,574	3/4	15,679	3/4	20,783	3/4	25,888	3/4	30,991	3/4	36,042	3/4		3/4	
1	523	1	5,582	1	10,681	1	15,785	1	20,890	1	25,994	1	31,098	1	36,147	1		1	
1/4	616	1/4	5,687	1/4	10,787	1/4	15,891	1/4	20,996	1/4	26,100	1/4	31,203	1/4	36,253	1/4		1/4	
1/2	709	1/2	5,793	1/2	10,893	1/2	15,998	1/2	21,102	1/2	26,207	1/2	31,308	1/2	36,358	1/2		1/2	
3/4	803	3/4	5,899	3/4	11,000	3/4	16,104	3/4	21,209	3/4	26,313	3/4	31,413	3/4	36,463	3/4		3/4	
2	896	2	6,004	2	11,106	2	16,210	2	21,315	2	26,419	2	31,518	2	36,568	2		2	
1/4	1,003	1/4	6,110	1/4	11,212	1/4	16,317	1/4	21,421	1/4	26,526	1/4	31,623	1/4	36,674	1/4		1/4	
1/2	1,109	1/2	6,216	1/2	11,319	1/2	16,423	1/2	21,528	1/2	26,632	1/2	31,728	1/2	36,779	1/2		1/2	
3/4	1,216	3/4	6,321	3/4	11,425	3/4	16,529	3/4	21,634	3/4	26,738	3/4	31,833	3/4	36,884	3/4		3/4	
3	1,323	3	6,427	3	11,531	3	16,636	3	21,740	3	26,845	3	31,938	3	36,989	3		3	
1/4	1,430	1/4	6,533	1/4	11,638	1/4	16,742	1/4	21,847	1/4	26,951	1/4	32,043	1/4	37,095	1/4		1/4	
1/2	1,536	1/2	6,640	1/2	11,744	1/2	16,849	1/2	21,953	1/2	27,057	1/2	32,148	1/2	37,200	1/2		1/2	
3/4	1,643	3/4	6,746	3/4	11,850	3/4	16,955	3/4	22,059	3/4	27,164	3/4	32,254	3/4	37,305	3/4		3/4	
4	1,750	4	6,852	4	11,957	4	17,061	4	22,166	4	27,270	4	32,359	4	37,411	4		4	
1/4	1,856	1/4	6,959	1/4	12,063	1/4	17,168	1/4	22,272	1/4	27,376	1/4	32,464	1/4	37,501	1/4		1/4	
1/2	1,963	1/2	7,065	1/2	12,169	1/2	17,274	1/2	22,378	1/2	27,483	1/2	32,569	1/2	37,591	1/2		1/2	
3/4	2,070	3/4	7,171	3/4	12,276	3/4	17,380	3/4	22,485	3/4	27,589	3/4	32,674	3/4	37,681	3/4		3/4	
5	2,176	5	7,278	5	12,382	5	17,487	5	22,591	5	27,696	5	32,779	5	37,771	5		5	
1/4	2,283	1/4	7,384	1/4	12,488	1/4	17,593	1/4	22,697	1/4	27,802	1/4	32,884	1/4	37,830	1/4		1/4	
1/2	2,390	1/2	7,490	1/2	12,595	1/2	17,699	1/2	22,804	1/2	27,908	1/2	32,990	1/2	37,890	1/2		1/2	
3/4	2,496	3/4	7,597	3/4	12,701	3/4	17,806	3/4	22,910	3/4	28,015	3/4	33,095	3/4	37,949	3/4		3/4	
6	2,603	6	7,703	6	12,807	6	17,912	6	23,016	6	28,121	6	33,200	6	38,009	6		6	
1/4	2,710	1/4	7,809	1/4	12,914	1/4	18,018	1/4	23,123	1/4	28,227	1/4	33,305	1/4	38,038	1/4		1/4	
1/2	2,816	1/2	7,916	1/2	13,020	1/2	18,125	1/2	23,229	1/2	28,334	1/2	33,411	1/2	38,067	1/2		1/2	
3/4	2,923	3/4	8,022	3/4	13,127	3/4	18,231	3/4	23,335	3/4	28,440	3/4	33,516	3/4	38,096	3/4		3/4	
7	3,030	7	8,128	7	13,233	7	18,337	7	23,442	7	28,546	7	33,621	7	38,125	7		7	
1/4	3,136	1/4	8,235	1/4	13,339	1/4	18,444	1/4	23,548	1/4	28,653	1/4	33,726	1/4	38,139	1/4		1/4	
1/2	3,243	1/2	8,341	1/2	13,446	1/2	18,550	1/2	23,654	1/2	28,759	1/2	33,832	1/2	38,153	1/2		1/2	
3/4	3,350	3/4	8,447	3/4	13,552	3/4	18,656	3/4	23,761	3/4	28,865	3/4	33,937	3/4		3/4		3/4	
8	3,457	8	8,554	8	13,658	8	18,763	8	23,867	8	28,972	8	34,042	8		8		8	
1/4	3,563	1/4	8,660	1/4	13,765	1/4	18,869	1/4	23,974	1/4	29,078	1/4	34,147	1/4		1/4		1/4	
1/2	3,670	1/2	8,766	1/2	13,871	1/2	18,975	1/2	24,080	1/2	29,184	1/2	34,253	1/2		1/2		1/2	
3/4	3,777	3/4	8,873	3/4	13,977	3/4	19,082	3/4	24,186	3/4	29,291	3/4	34,358	3/4		3/4		3/4	
9	3,883	9	8,979	9	14,084	9	19,188	9	24,293	9	29,397	9	34,463	9		9		9	
1/4	3,990	1/4	9,085	1/4	14,190	1/4	19,294	1/4	24,399	1/4	29,503	1/4	34,568	1/4		1/4		1/4	
1/2	4,097	1/2	9,192	1/2	14,296	1/2	19,401	1/2	24,505	1/2	29,610	1/2	34,674	1/2		1/2		1/2	
3/4	4,203	3/4	9,298	3/4	14,403	3/4	19,507	3/4	24,612	3/4	29,716	3/4	34,779	3/4		3/4		3/4	
10	4,310	10	9,405	10	14,509	10	19,613	10	24,718	10	29,822	10	34,884	10		10		10	
1/4	4,417	1/4	9,511	1/4	14,615	1/4	19,720	1/4	24,824	1/4	29,929	1/4	34,989	1/4		1/4		1/4	
1/2	4,523	1/2	9,617	1/2	14,722	1/2	19,826	1/2	24,931	1/2	30,035	1/2	35,095	1/2		1/2		1/2	
3/4	4,630	3/4	9,724	3/4	14,828	3/4	19,932	3/4	25,037	3/4	30,141	3/4	35,200	3/4		3/4		3/4	
11	4,737	11	9,830	11	14,934	11	20,039	11	25,143	11	30,248	11	35,305	11		11		11	
1/4	4,842	1/4	9,936	1/4	15,041	1/4	20,145	1/4	25,250	1/4	30,354	1/4	35,411	1/4		1/4		1/4	
1/2	4,948	1/2	10,043	1/2	15,147	1/2	20,252	1/2	25,356	1/2	30,460	1/2	35,516	1/2		1/2		1/2	
3/4	5,054	3/4	10,149	3/4	15,253	3/4	20,358	3/4	25,462	3/4	30,567	3/4	35,621	3/4		3/4		3/4	

NOTE: CAPACITY TABLE APPLIES ONLY TO MANUAL INNAGES TAKEN AT THE TOP UP OF (MMC) VALVE.  
NOTE: GAUGE POINT LOCATED IN GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED  
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

**INTERTEK**

DATE STRAPPED 6/4/2010 BY: PJM  
DATE COMPUTED: 6/9/2010 BY: WHF  
DATE ISSUED: 6/10/2010



**Barge MMLP 2601**  
**Official NO. 1225508**

Formerly TM-17  
Hull NO: C & C Marine #146

**TANK NO. 3 PORT**  
**INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 8'-10 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	57	0	4,488	0	9,692	0	14,897	0	20,102	0	25,306	0	30,511	0	35,689	0		0	
1/4	70	1/4	4,597	1/4	9,800	1/4	15,005	1/4	20,210	1/4	25,415	1/4	30,620	1/4	35,796	1/4		1/4	
1/2	84	1/2	4,705	1/2	9,909	1/2	15,114	1/2	20,318	1/2	25,523	1/2	30,728	1/2	35,904	1/2		1/2	
3/4	97	3/4	4,814	3/4	10,017	3/4	15,222	3/4	20,427	3/4	25,632	3/4	30,837	3/4	36,011	3/4		3/4	
1	138	1	4,922	1	10,126	1	15,330	1	20,535	1	25,740	1	30,945	1	36,118	1		1	
1/4	178	1/4	5,030	1/4	10,234	1/4	15,439	1/4	20,644	1/4	25,849	1/4	31,053	1/4	36,226	1/4		1/4	
1/2	219	1/2	5,139	1/2	10,342	1/2	15,547	1/2	20,752	1/2	25,957	1/2	31,162	1/2	36,333	1/2		1/2	
3/4	260	3/4	5,247	3/4	10,451	3/4	15,656	3/4	20,861	3/4	26,065	3/4	31,270	3/4	36,440	3/4		3/4	
2	327	2	5,355	2	10,559	2	15,764	2	20,969	2	26,174	2	31,379	2	36,548	2		2	
1/4	395	1/4	5,464	1/4	10,668	1/4	15,873	1/4	21,077	1/4	26,282	1/4	31,487	1/4	36,655	1/4		1/4	
1/2	463	1/2	5,572	1/2	10,776	1/2	15,981	1/2	21,186	1/2	26,391	1/2	31,595	1/2	36,763	1/2		1/2	
3/4	531	3/4	5,680	3/4	10,885	3/4	16,089	3/4	21,294	3/4	26,499	3/4	31,703	3/4	36,870	3/4		3/4	
3	625	3	5,789	3	10,993	3	16,198	3	21,403	3	26,608	3	31,811	3	36,977	3		3	
1/4	720	1/4	5,897	1/4	11,101	1/4	16,306	1/4	21,511	1/4	26,716	1/4	31,920	1/4	37,085	1/4		1/4	
1/2	815	1/2	6,005	1/2	11,210	1/2	16,415	1/2	21,620	1/2	26,824	1/2	32,028	1/2	37,192	1/2		1/2	
3/4	910	3/4	6,114	3/4	11,318	3/4	16,523	3/4	21,728	3/4	26,933	3/4	32,136	3/4	37,299	3/4		3/4	
4	1,018	4	6,222	4	11,427	4	16,632	4	21,836	4	27,041	4	32,244	4	37,407	4		4	
1/4	1,127	1/4	6,331	1/4	11,535	1/4	16,740	1/4	21,945	1/4	27,150	1/4	32,352	1/4	37,514	1/4		1/4	
1/2	1,235	1/2	6,439	1/2	11,644	1/2	16,849	1/2	22,053	1/2	27,258	1/2	32,461	1/2	37,621	1/2		1/2	
3/4	1,344	3/4	6,547	3/4	11,752	3/4	16,957	3/4	22,162	3/4	27,367	3/4	32,569	3/4	37,729	3/4		3/4	
5	1,452	5	6,656	5	11,861	5	17,065	5	22,270	5	27,475	5	32,677	5	37,836	5		5	
1/4	1,561	1/4	6,764	1/4	11,969	1/4	17,174	1/4	22,379	1/4	27,584	1/4	32,785	1/4	37,943	1/4		1/4	
1/2	1,669	1/2	6,873	1/2	12,077	1/2	17,282	1/2	22,487	1/2	27,692	1/2	32,893	1/2	38,051	1/2		1/2	
3/4	1,777	3/4	6,981	3/4	12,186	3/4	17,391	3/4	22,596	3/4	27,800	3/4	33,002	3/4	38,158	3/4		3/4	
6	1,886	6	7,089	6	12,294	6	17,499	6	22,704	6	27,909	6	33,110	6	38,250	6		6	
1/4	1,994	1/4	7,198	1/4	12,403	1/4	17,608	1/4	22,812	1/4	28,017	1/4	33,218	1/4	38,342	1/4		1/4	
1/2	2,103	1/2	7,306	1/2	12,511	1/2	17,716	1/2	22,921	1/2	28,126	1/2	33,326	1/2	38,434	1/2		1/2	
3/4	2,211	3/4	7,415	3/4	12,620	3/4	17,824	3/4	23,029	3/4	28,234	3/4	33,435	3/4	38,526	3/4		3/4	
7	2,320	7	7,523	7	12,728	7	17,933	7	23,138	7	28,343	7	33,542	7	38,587	7		7	
1/4	2,428	1/4	7,632	1/4	12,836	1/4	18,041	1/4	23,246	1/4	28,451	1/4	33,649	1/4	38,648	1/4		1/4	
1/2	2,536	1/2	7,740	1/2	12,945	1/2	18,150	1/2	23,355	1/2	28,559	1/2	33,757	1/2	38,708	1/2		1/2	
3/4	2,645	3/4	7,848	3/4	13,053	3/4	18,258	3/4	23,463	3/4	28,668	3/4	33,864	3/4	38,769	3/4		3/4	
8	2,753	8	7,957	8	13,162	8	18,367	8	23,571	8	28,776	8	33,971	8	38,799	8		8	
1/4	2,862	1/4	8,065	1/4	13,270	1/4	18,475	1/4	23,680	1/4	28,885	1/4	34,079	1/4	38,829	1/4		1/4	
1/2	2,970	1/2	8,174	1/2	13,379	1/2	18,583	1/2	23,788	1/2	28,993	1/2	34,186	1/2	38,859	1/2		1/2	
3/4	3,079	3/4	8,282	3/4	13,487	3/4	18,692	3/4	23,897	3/4	29,102	3/4	34,293	3/4	38,889	3/4		3/4	
9	3,187	9	8,391	9	13,595	9	18,800	9	24,005	9	29,210	9	34,401	9	38,903	9		9	
1/4	3,296	1/4	8,499	1/4	13,704	1/4	18,909	1/4	24,114	1/4	29,318	1/4	34,508	1/4	38,918	1/4		1/4	
1/2	3,404	1/2	8,607	1/2	13,812	1/2	19,017	1/2	24,222	1/2	29,427	1/2	34,615	1/2		1/2		1/2	
3/4	3,512	3/4	8,716	3/4	13,921	3/4	19,126	3/4	24,330	3/4	29,535	3/4	34,723	3/4		3/4		3/4	
10	3,621	10	8,824	10	14,029	10	19,234	10	24,439	10	29,644	10	34,830	10		10		10	
1/4	3,729	1/4	8,933	1/4	14,138	1/4	19,342	1/4	24,547	1/4	29,752	1/4	34,938	1/4		1/4		1/4	
1/2	3,838	1/2	9,041	1/2	14,246	1/2	19,451	1/2	24,656	1/2	29,861	1/2	35,045	1/2		1/2		1/2	
3/4	3,946	3/4	9,150	3/4	14,355	3/4	19,559	3/4	24,764	3/4	29,969	3/4	35,152	3/4		3/4		3/4	
11	4,054	11	9,258	11	14,463	11	19,668	11	24,873	11	30,078	11	35,260	11		11		11	
1/4	4,163	1/4	9,367	1/4	14,571	1/4	19,776	1/4	24,981	1/4	30,186	1/4	35,367	1/4		1/4		1/4	
1/2	4,271	1/2	9,475	1/2	14,680	1/2	19,885	1/2	25,090	1/2	30,294	1/2	35,474	1/2		1/2		1/2	
3/4	4,380	3/4	9,583	3/4	14,788	3/4	19,993	3/4	25,198	3/4	30,403	3/4	35,582	3/4		3/4		3/4	

NOTE: CAPACITY TABLE APPLIES ONLY TO MANUAL INNAGES TAKEN AT THE TOP LIP OF (MMC) VALVE.  
NOTE: GAUGE POINT LOCATED IN GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED  
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

DATE STRAPPED 6/4/2010 BY: PJM  
DATE COMPUTED: 6/9/2010 BY: WHF  
DATE ISSUED: 6/10/2010

**INTERTEK**



**Barge MMLP 2601**  
**Official NO. 1225508**

Formerly TM-17

Hull NO: C & C Marine #146

**TANK NO. 3 STBD**  
**INNAGE TABLE**

GAUGE HEIGHT: 8'-10 1/2"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	57	0	4,481	0	9,685	0	14,891	0	20,098	0	25,305	0	30,512	0	35,675	0		0	
1/4	70	1/4	4,590	1/4	9,793	1/4	15,000	1/4	20,207	1/4	25,413	1/4	30,620	1/4	35,782	1/4		1/4	
1/2	84	1/2	4,698	1/2	9,902	1/2	15,108	1/2	20,315	1/2	25,522	1/2	30,729	1/2	35,889	1/2		1/2	
3/4	97	3/4	4,807	3/4	10,010	3/4	15,217	3/4	20,424	3/4	25,630	3/4	30,837	3/4	35,997	3/4		3/4	
1	138	1	4,915	1	10,119	1	15,325	1	20,532	1	25,739	1	30,946	1	36,104	1		1	
1/4	178	1/4	5,023	1/4	10,227	1/4	15,434	1/4	20,641	1/4	25,847	1/4	31,054	1/4	36,212	1/4		1/4	
1/2	219	1/2	5,132	1/2	10,335	1/2	15,542	1/2	20,749	1/2	25,956	1/2	31,163	1/2	36,319	1/2		1/2	
3/4	260	3/4	5,240	3/4	10,444	3/4	15,651	3/4	20,858	3/4	26,064	3/4	31,271	3/4	36,426	3/4		3/4	
2	327	2	5,348	2	10,552	2	15,759	2	20,966	2	26,173	2	31,379	2	36,534	2		2	
1/4	395	1/4	5,456	1/4	10,661	1/4	15,868	1/4	21,074	1/4	26,281	1/4	31,488	1/4	36,641	1/4		1/4	
1/2	463	1/2	5,565	1/2	10,769	1/2	15,976	1/2	21,183	1/2	26,390	1/2	31,596	1/2	36,749	1/2		1/2	
3/4	531	3/4	5,673	3/4	10,878	3/4	16,085	3/4	21,291	3/4	26,498	3/4	31,704	3/4	36,856	3/4		3/4	
3	626	3	5,781	3	10,986	3	16,193	3	21,400	3	26,607	3	31,811	3	36,963	3		3	
1/4	721	1/4	5,889	1/4	11,095	1/4	16,302	1/4	21,508	1/4	26,715	1/4	31,919	1/4	37,071	1/4		1/4	
1/2	816	1/2	5,998	1/2	11,203	1/2	16,410	1/2	21,617	1/2	26,824	1/2	32,026	1/2	37,178	1/2		1/2	
3/4	910	3/4	6,106	3/4	11,312	3/4	16,519	3/4	21,725	3/4	26,932	3/4	32,133	3/4	37,286	3/4		3/4	
4	1,019	4	6,214	4	11,420	4	16,627	4	21,834	4	27,041	4	32,240	4	37,393	4		4	
1/4	1,127	1/4	6,322	1/4	11,529	1/4	16,735	1/4	21,942	1/4	27,149	1/4	32,347	1/4	37,500	1/4		1/4	
1/2	1,236	1/2	6,431	1/2	11,637	1/2	16,844	1/2	22,051	1/2	27,258	1/2	32,455	1/2	37,608	1/2		1/2	
3/4	1,344	3/4	6,539	3/4	11,746	3/4	16,952	3/4	22,159	3/4	27,366	3/4	32,562	3/4	37,715	3/4		3/4	
5	1,453	5	6,647	5	11,854	5	17,061	5	22,268	5	27,474	5	32,669	5	37,822	5		5	
1/4	1,561	1/4	6,756	1/4	11,963	1/4	17,169	1/4	22,376	1/4	27,583	1/4	32,776	1/4	37,930	1/4		1/4	
1/2	1,670	1/2	6,864	1/2	12,071	1/2	17,278	1/2	22,485	1/2	27,691	1/2	32,883	1/2	38,037	1/2		1/2	
3/4	1,778	3/4	6,973	3/4	12,180	3/4	17,386	3/4	22,593	3/4	27,800	3/4	32,991	3/4	38,145	3/4		3/4	
6	1,887	6	7,081	6	12,288	6	17,495	6	22,702	6	27,908	6	33,098	6	38,253	6		6	
1/4	1,995	1/4	7,190	1/4	12,397	1/4	17,603	1/4	22,810	1/4	28,017	1/4	33,205	1/4	38,361	1/4		1/4	
1/2	2,104	1/2	7,298	1/2	12,505	1/2	17,712	1/2	22,919	1/2	28,125	1/2	33,312	1/2	38,469	1/2		1/2	
3/4	2,212	3/4	7,407	3/4	12,613	3/4	17,820	3/4	23,027	3/4	28,234	3/4	33,419	3/4	38,577	3/4		3/4	
7	2,321	7	7,515	7	12,722	7	17,929	7	23,135	7	28,342	7	33,527	7	38,685	7		7	
1/4	2,429	1/4	7,624	1/4	12,830	1/4	18,037	1/4	23,244	1/4	28,451	1/4	33,634	1/4	38,793	1/4		1/4	
1/2	2,537	1/2	7,732	1/2	12,939	1/2	18,146	1/2	23,352	1/2	28,559	1/2	33,742	1/2	38,901	1/2		1/2	
3/4	2,646	3/4	7,841	3/4	13,047	3/4	18,254	3/4	23,461	3/4	28,668	3/4	33,849	3/4	39,009	3/4		3/4	
8	2,754	8	7,949	8	13,156	8	18,363	8	23,569	8	28,776	8	33,956	8	39,117	8		8	
1/4	2,863	1/4	8,058	1/4	13,264	1/4	18,471	1/4	23,678	1/4	28,885	1/4	34,064	1/4	39,225	1/4		1/4	
1/2	2,971	1/2	8,166	1/2	13,373	1/2	18,580	1/2	23,786	1/2	28,993	1/2	34,171	1/2	39,333	1/2		1/2	
3/4	3,080	3/4	8,274	3/4	13,481	3/4	18,688	3/4	23,895	3/4	29,102	3/4	34,278	3/4	39,441	3/4		3/4	
9	3,188	9	8,383	9	13,590	9	18,797	9	24,003	9	29,210	9	34,386	9	39,549	9		9	
1/4	3,295	1/4	8,491	1/4	13,698	1/4	18,905	1/4	24,112	1/4	29,319	1/4	34,493	1/4	39,657	1/4		1/4	
1/2	3,403	1/2	8,600	1/2	13,807	1/2	19,013	1/2	24,220	1/2	29,427	1/2	34,601	1/2	39,765	1/2		1/2	
3/4	3,511	3/4	8,708	3/4	13,915	3/4	19,122	3/4	24,329	3/4	29,536	3/4	34,708	3/4	39,873	3/4		3/4	
10	3,619	10	8,817	10	14,024	10	19,230	10	24,437	10	29,644	10	34,815	10	39,981	10		10	
1/4	3,726	1/4	8,925	1/4	14,132	1/4	19,339	1/4	24,546	1/4	29,752	1/4	34,923	1/4	40,089	1/4		1/4	
1/2	3,834	1/2	9,034	1/2	14,241	1/2	19,447	1/2	24,654	1/2	29,861	1/2	35,030	1/2	40,197	1/2		1/2	
3/4	3,942	3/4	9,142	3/4	14,349	3/4	19,556	3/4	24,763	3/4	29,969	3/4	35,138	3/4	40,305	3/4		3/4	
11	4,050	11	9,251	11	14,458	11	19,664	11	24,871	11	30,078	11	35,245	11	40,413	11		11	
1/4	4,157	1/4	9,359	1/4	14,566	1/4	19,773	1/4	24,980	1/4	30,186	1/4	35,352	1/4	40,521	1/4		1/4	
1/2	4,265	1/2	9,468	1/2	14,674	1/2	19,881	1/2	25,088	1/2	30,295	1/2	35,460	1/2	40,629	1/2		1/2	
3/4	4,373	3/4	9,576	3/4	14,783	3/4	19,990	3/4	25,197	3/4	30,403	3/4	35,567	3/4	40,737	3/4		3/4	

NOTE: CAPACITY TABLE APPLIES ONLY TO MANUAL INNAGES TAKEN AT THE TOP UP OF (MMC) VALVE.  
NOTE: GAUGE POINT LOCATED IN GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED  
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

DATE STRAPPED 6/4/2010 BY: PJM  
DATE COMPUTED: 6/8/2010 BY: WHF  
DATE ISSUED: 6/10/2010

**INTERTEK**