



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	981	0	15,543	0	30,788	0	46,037	0	61,285	0	76,534	0	91,782	0	107,031	0	122,277	0	137,521
1/4	1,138	1/4	15,861	1/4	31,106	1/4	46,355	1/4	61,603	1/4	76,852	1/4	92,100	1/4	107,348	1/4	122,595	1/4	137,839
1/2	1,359	1/2	16,178	1/2	31,424	1/2	46,672	1/2	61,921	1/2	77,169	1/2	92,418	1/2	107,666	1/2	122,912	1/2	138,156
3/4	1,580	3/4	16,496	3/4	31,741	3/4	46,990	3/4	62,238	3/4	77,487	3/4	92,735	3/4	107,984	3/4	123,230	3/4	138,474
1	1,801	1	16,814	1	32,059	1	47,308	1	62,556	1	77,805	1	93,053	1	108,301	1	123,547	1	138,792
1/4	2,022	1/4	17,131	1/4	32,377	1/4	47,625	1/4	62,874	1/4	78,122	1/4	93,371	1/4	108,619	1/4	123,865	1/4	139,109
1/2	2,306	1/2	17,449	1/2	32,694	1/2	47,943	1/2	63,191	1/2	78,440	1/2	93,688	1/2	108,937	1/2	124,183	1/2	139,427
3/4	2,591	3/4	17,767	3/4	33,012	3/4	48,261	3/4	63,509	3/4	78,758	3/4	94,006	3/4	109,255	3/4	124,500	3/4	139,744
2	2,875	2	18,084	2	33,330	2	48,578	2	63,827	2	79,075	2	94,324	2	109,572	2	124,818	2	140,062
1/4	3,160	1/4	18,402	1/4	33,648	1/4	48,896	1/4	64,144	1/4	79,393	1/4	94,641	1/4	109,890	1/4	125,135	1/4	140,379
1/2	3,476	1/2	18,719	1/2	33,965	1/2	49,214	1/2	64,462	1/2	79,711	1/2	94,959	1/2	110,208	1/2	125,453	1/2	140,697
3/4	3,792	3/4	19,037	3/4	34,283	3/4	49,531	3/4	64,780	3/4	80,028	3/4	95,277	3/4	110,525	3/4	125,771	3/4	141,015
3	4,108	3	19,355	3	34,601	3	49,849	3	65,097	3	80,346	3	95,594	3	110,843	3	126,088	3	141,332
1/4	4,424	1/4	19,672	1/4	34,918	1/4	50,167	1/4	65,415	1/4	80,664	1/4	95,912	1/4	111,161	1/4	126,406	1/4	141,650
1/2	4,742	1/2	19,990	1/2	35,236	1/2	50,484	1/2	65,733	1/2	80,981	1/2	96,230	1/2	111,478	1/2	126,723	1/2	141,967
3/4	5,060	3/4	20,307	3/4	35,554	3/4	50,802	3/4	66,051	3/4	81,299	3/4	96,547	3/4	111,796	3/4	127,041	3/4	142,285
4	5,377	4	20,625	4	35,871	4	51,120	4	66,368	4	81,617	4	96,865	4	112,114	4	127,358	4	142,603
1/4	5,695	1/4	20,942	1/4	36,189	1/4	51,437	1/4	66,686	1/4	81,934	1/4	97,183	1/4	112,431	1/4	127,676	1/4	142,920
1/2	6,013	1/2	21,260	1/2	36,507	1/2	51,755	1/2	67,004	1/2	82,252	1/2	97,500	1/2	112,749	1/2	127,994	1/2	143,238
3/4	6,330	3/4	21,578	3/4	36,824	3/4	52,073	3/4	67,321	3/4	82,570	3/4	97,818	3/4	113,067	3/4	128,311	3/4	143,555
5	6,648	5	21,895	5	37,142	5	52,390	5	67,639	5	82,887	5	98,136	5	113,384	5	128,629	5	143,873
1/4	6,966	1/4	22,213	1/4	37,460	1/4	52,708	1/4	67,957	1/4	83,205	1/4	98,454	1/4	113,702	1/4	128,946	1/4	144,190
1/2	7,284	1/2	22,530	1/2	37,777	1/2	53,026	1/2	68,274	1/2	83,523	1/2	98,771	1/2	114,020	1/2	129,264	1/2	144,508
3/4	7,601	3/4	22,848	3/4	38,095	3/4	53,343	3/4	68,592	3/4	83,840	3/4	99,089	3/4	114,337	3/4	129,582	3/4	144,826
6	7,919	6	23,165	6	38,413	6	53,661	6	68,910	6	84,158	6	99,407	6	114,655	6	129,899	6	145,143
1/4	8,237	1/4	23,483	1/4	38,730	1/4	53,979	1/4	69,227	1/4	84,476	1/4	99,724	1/4	114,973	1/4	130,217	1/4	145,461
1/2	8,554	1/2	23,801	1/2	39,048	1/2	54,296	1/2	69,545	1/2	84,793	1/2	100,042	1/2	115,290	1/2	130,534	1/2	145,778
3/4	8,872	3/4	24,118	3/4	39,366	3/4	54,614	3/4	69,863	3/4	85,111	3/4	100,360	3/4	115,608	3/4	130,852	3/4	146,096
7	9,190	7	24,436	7	39,683	7	54,932	7	70,180	7	85,429	7	100,677	7	115,925	7	131,169	7	146,414
1/4	9,507	1/4	24,753	1/4	40,001	1/4	55,250	1/4	70,498	1/4	85,746	1/4	100,995	1/4	116,243	1/4	131,487	1/4	146,731
1/2	9,825	1/2	25,071	1/2	40,319	1/2	55,567	1/2	70,816	1/2	86,064	1/2	101,313	1/2	116,561	1/2	131,805	1/2	147,049
3/4	10,143	3/4	25,389	3/4	40,636	3/4	55,885	3/4	71,133	3/4	86,382	3/4	101,630	3/4	116,878	3/4	132,122	3/4	147,366
8	10,460	8	25,706	8	40,954	8	56,203	8	71,451	8	86,699	8	101,948	8	117,196	8	132,440	8	147,684
1/4	10,778	1/4	26,024	1/4	41,272	1/4	56,520	1/4	71,769	1/4	87,017	1/4	102,266	1/4	117,513	1/4	132,757	1/4	148,001
1/2	11,096	1/2	26,341	1/2	41,589	1/2	56,838	1/2	72,086	1/2	87,335	1/2	102,583	1/2	117,831	1/2	133,075	1/2	148,319
3/4	11,413	3/4	26,659	3/4	41,907	3/4	57,156	3/4	72,404	3/4	87,653	3/4	102,901	3/4	118,149	3/4	133,393	3/4	148,637
9	11,731	9	26,976	9	42,225	9	57,473	9	72,722	9	87,970	9	103,219	9	118,466	9	133,710	9	148,954
1/4	12,049	1/4	27,294	1/4	42,542	1/4	57,791	1/4	73,039	1/4	88,288	1/4	103,536	1/4	118,784	1/4	134,028	1/4	149,272
1/2	12,366	1/2	27,612	1/2	42,860	1/2	58,109	1/2	73,357	1/2	88,606	1/2	103,854	1/2	119,101	1/2	134,345	1/2	149,589
3/4	12,684	3/4	27,929	3/4	43,178	3/4	58,426	3/4	73,675	3/4	88,923	3/4	104,172	3/4	119,419	3/4	134,663	3/4	149,907
10	13,002	10	28,247	10	43,495	10	58,744	10	73,992	10	89,241	10	104,489	10	119,736	10	134,980	10	150,225
1/4	13,319	1/4	28,565	1/4	43,813	1/4	59,062	1/4	74,310	1/4	89,559	1/4	104,807	1/4	120,054	1/4	135,298	1/4	150,542
1/2	13,637	1/2	28,882	1/2	44,131	1/2	59,379	1/2	74,628	1/2	89,876	1/2	105,125	1/2	120,372	1/2	135,616	1/2	150,860
3/4	13,955	3/4	29,200	3/4	44,449	3/4	59,697	3/4	74,945	3/4	90,194	3/4	105,442	3/4	120,689	3/4	135,933	3/4	151,177
11	14,272	11	29,518	11	44,766	11	60,015	11	75,263	11	90,512	11	105,760	11	121,007	11	136,251	11	151,495
1/4	14,590	1/4	29,835	1/4	45,084	1/4	60,332	1/4	75,581	1/4	90,829	1/4	106,078	1/4	121,324	1/4	136,568	1/4	151,812
1/2	14,908	1/2	30,153	1/2	45,402	1/2	60,650	1/2	75,898	1/2	91,147	1/2	106,395	1/2	121,642	1/2	136,886	1/2	152,130
3/4	15,225	3/4	30,471	3/4	45,719	3/4	60,968	3/4	76,216	3/4	91,465	3/4	106,713	3/4	121,960	3/4	137,204	3/4	152,448

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE AND 45' 3" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	152,765	0	168,009	0	183,205	0	197,670	0	211,126	0		0		0		0		0	
1/4	153,083	1/4	168,327	1/4	183,517	1/4	197,961	1/4	211,395	1/4		1/4		1/4		1/4		1/4	
1/2	153,400	1/2	168,644	1/2	183,827	1/2	198,250	1/2	211,662	1/2		1/2		1/2		1/2		1/2	
3/4	153,718	3/4	168,962	3/4	184,137	3/4	198,539	3/4	211,929	3/4		3/4		3/4		3/4		3/4	
1	154,036	1	169,280	1	184,447	1	198,828	1	212,196	1		1		1		1		1	
1/4	154,353	1/4	169,597	1/4	184,758	1/4	199,118	1/4	212,463	1/4		1/4		1/4		1/4		1/4	
1/2	154,671	1/2	169,915	1/2	185,066	1/2	199,405	1/2	212,728	1/2		1/2		1/2		1/2		1/2	
3/4	154,988	3/4	170,232	3/4	185,374	3/4	199,693	3/4	212,993	3/4		3/4		3/4		3/4		3/4	
2	155,306	2	170,550	2	185,683	2	199,980	2	213,259	2		2		2		2		2	
1/4	155,623	1/4	170,868	1/4	185,991	1/4	200,268	1/4	213,524	1/4		1/4		1/4		1/4		1/4	
1/2	155,941	1/2	171,185	1/2	186,298	1/2	200,554	1/2	213,788	1/2		1/2		1/2		1/2		1/2	
3/4	156,259	3/4	171,503	3/4	186,605	3/4	200,839	3/4	214,051	3/4		3/4		3/4		3/4		3/4	
3	156,576	3	171,820	3	186,912	3	201,125	3	214,315	3		3		3		3		3	
1/4	156,894	1/4	172,138	1/4	187,219	1/4	201,411	1/4	214,578	1/4		1/4		1/4		1/4		1/4	
1/2	157,211	1/2	172,455	1/2	187,524	1/2	201,695	1/2	214,840	1/2		1/2		1/2		1/2		1/2	
3/4	157,529	3/4	172,773	3/4	187,829	3/4	201,980	3/4	215,102	3/4		3/4		3/4		3/4		3/4	
4	157,847	4	173,091	4	188,134	4	202,264	4	215,364	4		4		4		4		4	
1/4	158,164	1/4	173,408	1/4	188,439	1/4	202,548	1/4	215,626	1/4		1/4		1/4		1/4		1/4	
1/2	158,482	1/2	173,726	1/2	188,743	1/2	202,831	1/2	215,862	1/2		1/2		1/2		1/2		1/2	
3/4	158,799	3/4	174,043	3/4	189,046	3/4	203,113	3/4	216,098	3/4		3/4		3/4		3/4		3/4	
5	159,117	5	174,361	5	189,349	5	203,396	5	216,334	5		5		5		5		5	
1/4	159,434	1/4	174,679	1/4	189,653	1/4	203,678	1/4	216,570	1/4		1/4		1/4		1/4		1/4	
1/2	159,752	1/2	174,996	1/2	189,955	1/2	203,959	1/2	216,753	1/2		1/2		1/2		1/2		1/2	
3/4	160,070	3/4	175,314	3/4	190,257	3/4	204,240	3/4	216,936	3/4		3/4		3/4		3/4		3/4	
6	160,387	6	175,631	6	190,558	6	204,521	6	217,118	6		6		6		6		6	
1/4	160,705	1/4	175,949	1/4	190,860	1/4	204,802	1/4	217,301	1/4		1/4		1/4		1/4		1/4	
1/2	161,022	1/2	176,266	1/2	191,160	1/2	205,081	1/2	217,431	1/2		1/2		1/2		1/2		1/2	
3/4	161,340	3/4	176,584	3/4	191,461	3/4	205,360	3/4	217,561	3/4		3/4		3/4		3/4		3/4	
7	161,658	7	176,902	7	191,761	7	205,640	7	217,691	7		7		7		7		7	
1/4	161,975	1/4	177,219	1/4	192,061	1/4	205,919	1/4	217,821	1/4		1/4		1/4		1/4		1/4	
1/2	162,293	1/2	177,537	1/2	192,360	1/2	206,196	1/2	217,898	1/2		1/2		1/2		1/2		1/2	
3/4	162,610	3/4	177,854	3/4	192,658	3/4	206,474	3/4	217,975	3/4		3/4		3/4		3/4		3/4	
8	162,928	8	178,172	8	192,957	8	206,752	8		8		8		8		8		8	
1/4	163,245	1/4	178,490	1/4	193,255	1/4	207,029	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,563	1/2	178,806	1/2	193,552	1/2	207,305	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,881	3/4	179,123	3/4	193,849	3/4	207,581	3/4		3/4		3/4		3/4		3/4		3/4	
9	164,198	9	179,440	9	194,146	9	207,857	9		9		9		9		9		9	
1/4	164,516	1/4	179,756	1/4	194,443	1/4	208,133	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,833	1/2	180,071	1/2	194,738	1/2	208,407	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,151	3/4	180,386	3/4	195,033	3/4	208,682	3/4		3/4		3/4		3/4		3/4		3/4	
10	165,469	10	180,702	10	195,328	10	208,956	10		10		10		10		10		10	
1/4	165,786	1/4	181,017	1/4	195,623	1/4	209,230	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,104	1/2	181,330	1/2	195,917	1/2	209,503	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,421	3/4	181,643	3/4	196,211	3/4	209,775	3/4		3/4		3/4		3/4		3/4		3/4	
11	166,739	11	181,957	11	196,504	11	210,048	11		11		11		11		11		11	
1/4	167,056	1/4	182,270	1/4	196,798	1/4	210,321	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	167,374	1/2	182,582	1/2	197,088	1/2	210,589	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,692	3/4	182,894	3/4	197,379	3/4	210,858	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	983	0	15,586	0	30,868	0	46,159	0	61,449	0	76,740	0	92,030	0	107,321	0	122,609	0	137,895
1/4	1,141	1/4	15,904	1/4	31,187	1/4	46,477	1/4	61,768	1/4	77,058	1/4	92,349	1/4	107,639	1/4	122,927	1/4	138,213
1/2	1,363	1/2	16,223	1/2	31,506	1/2	46,796	1/2	62,086	1/2	77,377	1/2	92,667	1/2	107,958	1/2	123,246	1/2	138,532
3/4	1,584	3/4	16,542	3/4	31,824	3/4	47,115	3/4	62,405	3/4	77,695	3/4	92,986	3/4	108,276	3/4	123,564	3/4	138,850
1	1,806	1	16,860	1	32,143	1	47,433	1	62,724	1	78,014	1	93,304	1	108,595	1	123,883	1	139,169
1/4	2,027	1/4	17,179	1/4	32,461	1/4	47,752	1/4	63,042	1/4	78,332	1/4	93,623	1/4	108,913	1/4	124,201	1/4	139,487
1/2	2,313	1/2	17,497	1/2	32,780	1/2	48,070	1/2	63,361	1/2	78,651	1/2	93,941	1/2	109,232	1/2	124,520	1/2	139,806
3/4	2,598	3/4	17,815	3/4	33,098	3/4	48,389	3/4	63,679	3/4	78,970	3/4	94,260	3/4	109,550	3/4	124,838	3/4	140,124
2	2,883	2	18,134	2	33,417	2	48,707	2	63,998	2	79,288	2	94,579	2	109,869	2	125,157	2	140,442
1/4	3,168	1/4	18,452	1/4	33,735	1/4	49,026	1/4	64,316	1/4	79,607	1/4	94,897	1/4	110,188	1/4	125,475	1/4	140,761
1/2	3,485	1/2	18,770	1/2	34,054	1/2	49,344	1/2	64,635	1/2	79,925	1/2	95,216	1/2	110,506	1/2	125,793	1/2	141,079
3/4	3,802	3/4	19,089	3/4	34,373	3/4	49,663	3/4	64,953	3/4	80,244	3/4	95,534	3/4	110,825	3/4	126,112	3/4	141,398
3	4,120	3	19,407	3	34,691	3	49,982	3	65,272	3	80,562	3	95,853	3	111,143	3	126,430	3	141,716
1/4	4,437	1/4	19,725	1/4	35,010	1/4	50,300	1/4	65,590	1/4	80,881	1/4	96,171	1/4	111,462	1/4	126,749	1/4	142,035
1/2	4,755	1/2	20,044	1/2	35,328	1/2	50,619	1/2	65,909	1/2	81,199	1/2	96,490	1/2	111,780	1/2	127,067	1/2	142,353
3/4	5,074	3/4	20,362	3/4	35,647	3/4	50,937	3/4	66,228	3/4	81,518	3/4	96,808	3/4	112,099	3/4	127,386	3/4	142,672
4	5,392	4	20,680	4	35,965	4	51,256	4	66,546	4	81,837	4	97,127	4	112,417	4	127,704	4	142,990
1/4	5,711	1/4	20,999	1/4	36,284	1/4	51,574	1/4	66,865	1/4	82,155	1/4	97,446	1/4	112,736	1/4	128,023	1/4	143,309
1/2	6,029	1/2	21,317	1/2	36,602	1/2	51,893	1/2	67,183	1/2	82,474	1/2	97,764	1/2	113,054	1/2	128,341	1/2	143,627
3/4	6,348	3/4	21,635	3/4	36,921	3/4	52,211	3/4	67,502	3/4	82,792	3/4	98,083	3/4	113,373	3/4	128,660	3/4	143,946
5	6,667	5	21,954	5	37,240	5	52,530	5	67,820	5	83,111	5	98,401	5	113,692	5	128,978	5	144,264
1/4	6,985	1/4	22,272	1/4	37,558	1/4	52,848	1/4	68,139	1/4	83,429	1/4	98,720	1/4	114,010	1/4	129,296	1/4	144,582
1/2	7,304	1/2	22,590	1/2	37,877	1/2	53,167	1/2	68,457	1/2	83,748	1/2	99,038	1/2	114,329	1/2	129,615	1/2	144,901
3/4	7,622	3/4	22,909	3/4	38,195	3/4	53,486	3/4	68,776	3/4	84,066	3/4	99,357	3/4	114,647	3/4	129,933	3/4	145,219
6	7,941	6	23,227	6	38,514	6	53,804	6	69,095	6	84,385	6	99,675	6	114,966	6	130,252	6	145,538
1/4	8,259	1/4	23,545	1/4	38,832	1/4	54,123	1/4	69,413	1/4	84,703	1/4	99,994	1/4	115,284	1/4	130,570	1/4	145,856
1/2	8,578	1/2	23,864	1/2	39,151	1/2	54,441	1/2	69,732	1/2	85,022	1/2	100,312	1/2	115,603	1/2	130,889	1/2	146,175
3/4	8,896	3/4	24,182	3/4	39,469	3/4	54,760	3/4	70,050	3/4	85,341	3/4	100,631	3/4	115,921	3/4	131,207	3/4	146,493
7	9,215	7	24,500	7	39,788	7	55,078	7	70,369	7	85,659	7	100,950	7	116,240	7	131,526	7	146,812
1/4	9,533	1/4	24,819	1/4	40,106	1/4	55,397	1/4	70,687	1/4	85,978	1/4	101,268	1/4	116,558	1/4	131,844	1/4	147,130
1/2	9,852	1/2	25,137	1/2	40,425	1/2	55,715	1/2	71,006	1/2	86,296	1/2	101,587	1/2	116,877	1/2	132,163	1/2	147,449
3/4	10,171	3/4	25,455	3/4	40,744	3/4	56,034	3/4	71,324	3/4	86,615	3/4	101,905	3/4	117,195	3/4	132,481	3/4	147,767
8	10,489	8	25,774	8	41,062	8	56,353	8	71,643	8	86,933	8	102,224	8	117,514	8	132,800	8	148,085
1/4	10,808	1/4	26,092	1/4	41,381	1/4	56,671	1/4	71,961	1/4	87,252	1/4	102,542	1/4	117,832	1/4	133,118	1/4	148,404
1/2	11,126	1/2	26,410	1/2	41,699	1/2	56,990	1/2	72,280	1/2	87,570	1/2	102,861	1/2	118,150	1/2	133,436	1/2	148,722
3/4	11,445	3/4	26,729	3/4	42,018	3/4	57,308	3/4	72,599	3/4	87,889	3/4	103,179	3/4	118,469	3/4	133,755	3/4	149,041
9	11,763	9	27,047	9	42,336	9	57,627	9	72,917	9	88,208	9	103,498	9	118,787	9	134,073	9	149,359
1/4	12,082	1/4	27,366	1/4	42,655	1/4	57,945	1/4	73,236	1/4	88,526	1/4	103,817	1/4	119,106	1/4	134,392	1/4	149,678
1/2	12,400	1/2	27,684	1/2	42,973	1/2	58,264	1/2	73,554	1/2	88,845	1/2	104,135	1/2	119,424	1/2	134,710	1/2	149,996
3/4	12,719	3/4	28,002	3/4	43,292	3/4	58,582	3/4	73,873	3/4	89,163	3/4	104,454	3/4	119,743	3/4	135,029	3/4	150,315
10	13,038	10	28,321	10	43,611	10	58,901	10	74,191	10	89,482	10	104,772	10	120,061	10	135,347	10	150,633
1/4	13,356	1/4	28,639	1/4	43,929	1/4	59,219	1/4	74,510	1/4	89,800	1/4	105,091	1/4	120,380	1/4	135,666	1/4	150,952
1/2	13,675	1/2	28,958	1/2	44,248	1/2	59,538	1/2	74,828	1/2	90,119	1/2	105,409	1/2	120,698	1/2	135,984	1/2	151,270
3/4	13,993	3/4	29,276	3/4	44,566	3/4	59,857	3/4	75,147	3/4	90,437	3/4	105,728	3/4	121,017	3/4	136,303	3/4	151,589
11	14,312	11	29,594	11	44,885	11	60,175	11	75,466	11	90,756	11	106,046	11	121,335	11	136,621	11	151,907
1/4	14,630	1/4	29,913	1/4	45,203	1/4	60,494	1/4	75,784	1/4	91,075	1/4	106,365	1/4	121,653	1/4	136,939	1/4	152,225
1/2	14,949	1/2	30,231	1/2	45,522	1/2	60,812	1/2	76,103	1/2	91,393	1/2	106,683	1/2	121,972	1/2	137,258	1/2	152,544
3/4	15,267	3/4	30,550	3/4	45,840	3/4	61,131	3/4	76,421	3/4	91,712	3/4	107,002	3/4	122,290	3/4	137,576	3/4	152,862

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE AND 45' 3" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	153,181	0	168,467	0	183,705	0	198,209	0	211,703	0		0		0		0		0	
1/4	153,499	1/4	168,785	1/4	184,017	1/4	198,501	1/4	211,972	1/4		1/4		1/4		1/4		1/4	
1/2	153,818	1/2	169,104	1/2	184,328	1/2	198,791	1/2	212,240	1/2		1/2		1/2		1/2		1/2	
3/4	154,136	3/4	169,422	3/4	184,639	3/4	199,081	3/4	212,508	3/4		3/4		3/4		3/4		3/4	
1	154,455	1	169,741	1	184,950	1	199,371	1	212,775	1		1		1		1		1	
1/4	154,773	1/4	170,059	1/4	185,261	1/4	199,661	1/4	213,043	1/4		1/4		1/4		1/4		1/4	
1/2	155,092	1/2	170,378	1/2	185,570	1/2	199,949	1/2	213,309	1/2		1/2		1/2		1/2		1/2	
3/4	155,410	3/4	170,696	3/4	185,880	3/4	200,237	3/4	213,575	3/4		3/4		3/4		3/4		3/4	
2	155,728	2	171,014	2	186,189	2	200,526	2	213,841	2		2		2		2		2	
1/4	156,047	1/4	171,333	1/4	186,498	1/4	200,814	1/4	214,107	1/4		1/4		1/4		1/4		1/4	
1/2	156,365	1/2	171,651	1/2	186,806	1/2	201,101	1/2	214,371	1/2		1/2		1/2		1/2		1/2	
3/4	156,684	3/4	171,970	3/4	187,114	3/4	201,387	3/4	214,636	3/4		3/4		3/4		3/4		3/4	
3	157,002	3	172,288	3	187,421	3	201,674	3	214,900	3		3		3		3		3	
1/4	157,321	1/4	172,607	1/4	187,729	1/4	201,961	1/4	215,164	1/4		1/4		1/4		1/4		1/4	
1/2	157,639	1/2	172,925	1/2	188,035	1/2	202,246	1/2	215,427	1/2		1/2		1/2		1/2		1/2	
3/4	157,958	3/4	173,244	3/4	188,341	3/4	202,531	3/4	215,690	3/4		3/4		3/4		3/4		3/4	
4	158,276	4	173,562	4	188,647	4	202,816	4	215,952	4		4		4		4		4	
1/4	158,595	1/4	173,881	1/4	188,953	1/4	203,101	1/4	216,215	1/4		1/4		1/4		1/4		1/4	
1/2	158,913	1/2	174,199	1/2	189,257	1/2	203,384	1/2	216,452	1/2		1/2		1/2		1/2		1/2	
3/4	159,232	3/4	174,517	3/4	189,561	3/4	203,667	3/4	216,688	3/4		3/4		3/4		3/4		3/4	
5	159,550	5	174,836	5	189,866	5	203,951	5	216,925	5		5		5		5		5	
1/4	159,868	1/4	175,154	1/4	190,170	1/4	204,234	1/4	217,161	1/4		1/4		1/4		1/4		1/4	
1/2	160,187	1/2	175,473	1/2	190,473	1/2	204,516	1/2	217,345	1/2		1/2		1/2		1/2		1/2	
3/4	160,505	3/4	175,791	3/4	190,775	3/4	204,797	3/4	217,528	3/4		3/4		3/4		3/4		3/4	
6	160,824	6	176,110	6	191,078	6	205,079	6	217,711	6		6		6		6		6	
1/4	161,142	1/4	176,428	1/4	191,381	1/4	205,361	1/4	217,895	1/4		1/4		1/4		1/4		1/4	
1/2	161,461	1/2	176,747	1/2	191,682	1/2	205,641	1/2	218,025	1/2		1/2		1/2		1/2		1/2	
3/4	161,779	3/4	177,065	3/4	191,983	3/4	205,921	3/4	218,155	3/4		3/4		3/4		3/4		3/4	
7	162,098	7	177,384	7	192,284	7	206,201	7	218,286	7		7		7		7		7	
1/4	162,416	1/4	177,702	1/4	192,585	1/4	206,481	1/4	218,416	1/4		1/4		1/4		1/4		1/4	
1/2	162,735	1/2	178,021	1/2	192,884	1/2	206,759	1/2	218,493	1/2		1/2		1/2		1/2		1/2	
3/4	163,053	3/4	178,339	3/4	193,183	3/4	207,038	3/4		3/4		3/4		3/4		3/4		3/4	
8	163,371	8	178,657	8	193,483	8	207,316	8		8		8		8		8		8	
1/4	163,690	1/4	178,976	1/4	193,782	1/4	207,594	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,008	1/2	179,293	1/2	194,080	1/2	207,871	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,327	3/4	179,611	3/4	194,377	3/4	208,148	3/4		3/4		3/4		3/4		3/4		3/4	
9	164,645	9	179,929	9	194,675	9	208,424	9		9		9		9		9		9	
1/4	164,964	1/4	180,246	1/4	194,973	1/4	208,701	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,282	1/2	180,562	1/2	195,269	1/2	208,976	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,601	3/4	180,878	3/4	195,565	3/4	209,251	3/4		3/4		3/4		3/4		3/4		3/4	
10	165,919	10	181,194	10	195,861	10	209,526	10		10		10		10		10		10	
1/4	166,238	1/4	181,510	1/4	196,157	1/4	209,801	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,556	1/2	181,824	1/2	196,451	1/2	210,075	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,874	3/4	182,138	3/4	196,746	3/4	210,348	3/4		3/4		3/4		3/4		3/4		3/4	
11	167,193	11	182,453	11	197,040	11	210,621	11		11		11		11		11		11	
1/4	167,511	1/4	182,767	1/4	197,334	1/4	210,895	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	167,830	1/2	183,080	1/2	197,626	1/2	211,164	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	168,148	3/4	183,392	3/4	197,918	3/4	211,434	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 7/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	977	0	15,484	0	30,671	0	45,862	0	61,052	0	76,243	0	91,433	0	106,624	0	121,812	0	136,998
1/4	1,134	1/4	15,800	1/4	30,988	1/4	46,178	1/4	61,369	1/4	76,559	1/4	91,750	1/4	106,940	1/4	122,129	1/4	137,315
1/2	1,354	1/2	16,117	1/2	31,304	1/2	46,495	1/2	61,685	1/2	76,876	1/2	92,066	1/2	107,257	1/2	122,445	1/2	137,631
3/4	1,574	3/4	16,433	3/4	31,621	3/4	46,811	3/4	62,002	3/4	77,192	3/4	92,383	3/4	107,573	3/4	122,761	3/4	137,947
1	1,794	1	16,750	1	31,937	1	47,128	1	62,318	1	77,509	1	92,699	1	107,890	1	123,078	1	138,264
1/4	2,014	1/4	17,066	1/4	32,254	1/4	47,444	1/4	62,635	1/4	77,825	1/4	93,016	1/4	108,206	1/4	123,394	1/4	138,580
1/2	2,297	1/2	17,383	1/2	32,570	1/2	47,761	1/2	62,951	1/2	78,142	1/2	93,332	1/2	108,523	1/2	123,710	1/2	138,896
3/4	2,581	3/4	17,699	3/4	32,887	3/4	48,077	3/4	63,268	3/4	78,458	3/4	93,649	3/4	108,839	3/4	124,027	3/4	139,213
2	2,864	2	18,015	2	33,203	2	48,394	2	63,584	2	78,775	2	93,965	2	109,156	2	124,343	2	139,529
1/4	3,147	1/4	18,332	1/4	33,519	1/4	48,710	1/4	63,900	1/4	79,091	1/4	94,282	1/4	109,472	1/4	124,660	1/4	139,846
1/2	3,462	1/2	18,648	1/2	33,836	1/2	49,026	1/2	64,217	1/2	79,407	1/2	94,598	1/2	109,788	1/2	124,976	1/2	140,162
3/4	3,777	3/4	18,964	3/4	34,152	3/4	49,343	3/4	64,533	3/4	79,724	3/4	94,914	3/4	110,105	3/4	125,292	3/4	140,478
3	4,092	3	19,281	3	34,469	3	49,659	3	64,850	3	80,040	3	95,231	3	110,421	3	125,609	3	140,795
1/4	4,408	1/4	19,597	1/4	34,785	1/4	49,976	1/4	65,166	1/4	80,357	1/4	95,547	1/4	110,738	1/4	125,925	1/4	141,111
1/2	4,724	1/2	19,914	1/2	35,102	1/2	50,292	1/2	65,483	1/2	80,673	1/2	95,864	1/2	111,054	1/2	126,241	1/2	141,427
3/4	5,040	3/4	20,230	3/4	35,418	3/4	50,609	3/4	65,799	3/4	80,990	3/4	96,180	3/4	111,371	3/4	126,558	3/4	141,744
4	5,357	4	20,546	4	35,735	4	50,925	4	66,116	4	81,306	4	96,497	4	111,687	4	126,874	4	142,060
1/4	5,673	1/4	20,863	1/4	36,051	1/4	51,242	1/4	66,432	1/4	81,623	1/4	96,813	1/4	112,004	1/4	127,191	1/4	142,377
1/2	5,990	1/2	21,179	1/2	36,368	1/2	51,558	1/2	66,749	1/2	81,939	1/2	97,130	1/2	112,320	1/2	127,507	1/2	142,693
3/4	6,306	3/4	21,495	3/4	36,684	3/4	51,875	3/4	67,065	3/4	82,256	3/4	97,446	3/4	112,637	3/4	127,823	3/4	143,009
5	6,623	5	21,812	5	37,001	5	52,191	5	67,382	5	82,572	5	97,763	5	112,953	5	128,140	5	143,326
1/4	6,939	1/4	22,128	1/4	37,317	1/4	52,508	1/4	67,698	1/4	82,889	1/4	98,079	1/4	113,270	1/4	128,456	1/4	143,642
1/2	7,256	1/2	22,445	1/2	37,634	1/2	52,824	1/2	68,015	1/2	83,205	1/2	98,396	1/2	113,586	1/2	128,772	1/2	143,958
3/4	7,572	3/4	22,761	3/4	37,950	3/4	53,141	3/4	68,331	3/4	83,522	3/4	98,712	3/4	113,903	3/4	129,089	3/4	144,275
6	7,889	6	23,077	6	38,267	6	53,457	6	68,648	6	83,838	6	99,029	6	114,219	6	129,405	6	144,591
1/4	8,205	1/4	23,394	1/4	38,583	1/4	53,773	1/4	68,964	1/4	84,155	1/4	99,345	1/4	114,536	1/4	129,722	1/4	144,908
1/2	8,522	1/2	23,710	1/2	38,899	1/2	54,090	1/2	69,280	1/2	84,471	1/2	99,661	1/2	114,852	1/2	130,038	1/2	145,224
3/4	8,838	3/4	24,026	3/4	39,216	3/4	54,406	3/4	69,597	3/4	84,787	3/4	99,978	3/4	115,168	3/4	130,354	3/4	145,540
7	9,155	7	24,343	7	39,532	7	54,723	7	69,913	7	85,104	7	100,294	7	115,485	7	130,671	7	145,857
1/4	9,471	1/4	24,659	1/4	39,849	1/4	55,039	1/4	70,230	1/4	85,420	1/4	100,611	1/4	115,801	1/4	130,987	1/4	146,173
1/2	9,787	1/2	24,976	1/2	40,165	1/2	55,356	1/2	70,546	1/2	85,737	1/2	100,927	1/2	116,117	1/2	131,303	1/2	146,490
3/4	10,104	3/4	25,292	3/4	40,482	3/4	55,672	3/4	70,863	3/4	86,053	3/4	101,244	3/4	116,434	3/4	131,620	3/4	146,806
8	10,420	8	25,608	8	40,798	8	55,989	8	71,179	8	86,370	8	101,560	8	116,750	8	131,936	8	147,122
1/4	10,737	1/4	25,925	1/4	41,115	1/4	56,305	1/4	71,496	1/4	86,686	1/4	101,877	1/4	117,067	1/4	132,253	1/4	147,439
1/2	11,053	1/2	26,241	1/2	41,431	1/2	56,622	1/2	71,812	1/2	87,003	1/2	102,193	1/2	117,383	1/2	132,569	1/2	147,755
3/4	11,370	3/4	26,557	3/4	41,748	3/4	56,938	3/4	72,129	3/4	87,319	3/4	102,510	3/4	117,699	3/4	132,885	3/4	148,071
9	11,686	9	26,874	9	42,064	9	57,255	9	72,445	9	87,636	9	102,826	9	118,016	9	133,202	9	148,388
1/4	12,003	1/4	27,190	1/4	42,381	1/4	57,571	1/4	72,762	1/4	87,952	1/4	103,143	1/4	118,332	1/4	133,518	1/4	148,704
1/2	12,319	1/2	27,507	1/2	42,697	1/2	57,888	1/2	73,078	1/2	88,269	1/2	103,459	1/2	118,648	1/2	133,834	1/2	149,021
3/4	12,636	3/4	27,823	3/4	43,014	3/4	58,204	3/4	73,395	3/4	88,585	3/4	103,776	3/4	118,965	3/4	134,151	3/4	149,337
10	12,952	10	28,140	10	43,330	10	58,521	10	73,711	10	88,902	10	104,092	10	119,281	10	134,467	10	149,653
1/4	13,269	1/4	28,456	1/4	43,646	1/4	58,837	1/4	74,027	1/4	89,218	1/4	104,409	1/4	119,598	1/4	134,784	1/4	149,970
1/2	13,585	1/2	28,772	1/2	43,963	1/2	59,153	1/2	74,344	1/2	89,534	1/2	104,725	1/2	119,914	1/2	135,100	1/2	150,286
3/4	13,902	3/4	29,089	3/4	44,279	3/4	59,470	3/4	74,660	3/4	89,851	3/4	105,041	3/4	120,230	3/4	135,416	3/4	150,602
11	14,218	11	29,405	11	44,596	11	59,786	11	74,977	11	90,167	11	105,358	11	120,547	11	135,733	11	150,919
1/4	14,535	1/4	29,722	1/4	44,912	1/4	60,103	1/4	75,293	1/4	90,484	1/4	105,674	1/4	120,863	1/4	136,049	1/4	151,235
1/2	14,851	1/2	30,038	1/2	45,229	1/2	60,419	1/2	75,610	1/2	90,800	1/2	105,991	1/2	121,179	1/2	136,365	1/2	151,552
3/4	15,167	3/4	30,355	3/4	45,545	3/4	60,736	3/4	75,926	3/4	91,117	3/4	106,307	3/4	121,496	3/4	136,682	3/4	151,868

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE

AND 45' 3" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 7/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	152,184	0	167,370	0	182,509	0	196,918	0	210,323	0		0		0		0		0	
1/4	152,501	1/4	167,687	1/4	182,819	1/4	197,208	1/4	210,591	1/4		1/4		1/4		1/4		1/4	
1/2	152,817	1/2	168,003	1/2	183,128	1/2	197,496	1/2	210,857	1/2		1/2		1/2		1/2		1/2	
3/4	153,133	3/4	168,319	3/4	183,437	3/4	197,784	3/4	211,123	3/4		3/4		3/4		3/4		3/4	
1	153,450	1	168,636	1	183,746	1	198,072	1	211,389	1		1		1		1		1	
1/4	153,766	1/4	168,952	1/4	184,055	1/4	198,360	1/4	211,654	1/4		1/4		1/4		1/4		1/4	
1/2	154,083	1/2	169,269	1/2	184,362	1/2	198,647	1/2	211,919	1/2		1/2		1/2		1/2		1/2	
3/4	154,399	3/4	169,585	3/4	184,670	3/4	198,933	3/4	212,183	3/4		3/4		3/4		3/4		3/4	
2	154,715	2	169,901	2	184,977	2	199,220	2	212,447	2		2		2		2		2	
1/4	155,032	1/4	170,218	1/4	185,284	1/4	199,506	1/4	212,712	1/4		1/4		1/4		1/4		1/4	
1/2	155,348	1/2	170,534	1/2	185,590	1/2	199,791	1/2	212,974	1/2		1/2		1/2		1/2		1/2	
3/4	155,664	3/4	170,850	3/4	185,895	3/4	200,076	3/4	213,237	3/4		3/4		3/4		3/4		3/4	
3	155,981	3	171,167	3	186,201	3	200,360	3	213,499	3		3		3		3		3	
1/4	156,297	1/4	171,483	1/4	186,507	1/4	200,645	1/4	213,762	1/4		1/4		1/4		1/4		1/4	
1/2	156,614	1/2	171,800	1/2	186,811	1/2	200,928	1/2	214,023	1/2		1/2		1/2		1/2		1/2	
3/4	156,930	3/4	172,116	3/4	187,114	3/4	201,211	3/4	214,284	3/4		3/4		3/4		3/4		3/4	
4	157,246	4	172,432	4	187,418	4	201,495	4	214,545	4		4		4		4		4	
1/4	157,563	1/4	172,749	1/4	187,722	1/4	201,778	1/4	214,806	1/4		1/4		1/4		1/4		1/4	
1/2	157,879	1/2	173,065	1/2	188,025	1/2	202,059	1/2	215,041	1/2		1/2		1/2		1/2		1/2	
3/4	158,195	3/4	173,381	3/4	188,327	3/4	202,341	3/4	215,276	3/4		3/4		3/4		3/4		3/4	
5	158,512	5	173,698	5	188,629	5	202,622	5	215,511	5		5		5		5		5	
1/4	158,828	1/4	174,014	1/4	188,932	1/4	202,904	1/4	215,746	1/4		1/4		1/4		1/4		1/4	
1/2	159,145	1/2	174,331	1/2	189,232	1/2	203,183	1/2	215,928	1/2		1/2		1/2		1/2		1/2	
3/4	159,461	3/4	174,647	3/4	189,533	3/4	203,463	3/4	216,110	3/4		3/4		3/4		3/4		3/4	
6	159,777	6	174,963	6	189,834	6	203,743	6	216,292	6		6		6		6		6	
1/4	160,094	1/4	175,280	1/4	190,134	1/4	204,023	1/4	216,474	1/4		1/4		1/4		1/4		1/4	
1/2	160,410	1/2	175,596	1/2	190,434	1/2	204,301	1/2	216,604	1/2		1/2		1/2		1/2		1/2	
3/4	160,726	3/4	175,912	3/4	190,733	3/4	204,579	3/4	216,733	3/4		3/4		3/4		3/4		3/4	
7	161,043	7	176,229	7	191,032	7	204,857	7	216,863	7		7		7		7		7	
1/4	161,359	1/4	176,545	1/4	191,331	1/4	205,136	1/4	216,992	1/4		1/4		1/4		1/4		1/4	
1/2	161,676	1/2	176,862	1/2	191,628	1/2	205,412	1/2	217,069	1/2		1/2		1/2		1/2		1/2	
3/4	161,992	3/4	177,178	3/4	191,925	3/4	205,689	3/4		3/4		3/4		3/4		3/4		3/4	
8	162,308	8	177,494	8	192,223	8	205,965	8		8		8		8		8		8	
1/4	162,625	1/4	177,811	1/4	192,520	1/4	206,242	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,941	1/2	178,126	1/2	192,816	1/2	206,517	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,257	3/4	178,442	3/4	193,112	3/4	206,792	3/4		3/4		3/4		3/4		3/4		3/4	
9	163,574	9	178,757	9	193,407	9	207,066	9		9		9		9		9		9	
1/4	163,890	1/4	179,073	1/4	193,703	1/4	207,341	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,207	1/2	179,387	1/2	193,997	1/2	207,615	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,523	3/4	179,700	3/4	194,291	3/4	207,888	3/4		3/4		3/4		3/4		3/4		3/4	
10	164,839	10	180,014	10	194,585	10	208,161	10		10		10		10		10		10	
1/4	165,156	1/4	180,328	1/4	194,879	1/4	208,434	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,472	1/2	180,640	1/2	195,172	1/2	208,706	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,788	3/4	180,953	3/4	195,464	3/4	208,978	3/4		3/4		3/4		3/4		3/4		3/4	
11	166,105	11	181,265	11	195,757	11	209,249	11		11		11		11		11		11	
1/4	166,421	1/4	181,577	1/4	196,049	1/4	209,521	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,738	1/2	181,888	1/2	196,339	1/2	209,788	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,054	3/4	182,198	3/4	196,629	3/4	210,056	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 7/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	979	0	15,507	0	30,646	0	45,858	0	61,071	0	76,285	0	91,499	0	106,712	0	121,924	0	137,133
1/4	1,136	1/4	15,824	1/4	30,961	1/4	46,175	1/4	61,388	1/4	76,602	1/4	91,815	1/4	107,029	1/4	122,240	1/4	137,450
1/2	1,356	1/2	16,140	1/2	31,278	1/2	46,492	1/2	61,705	1/2	76,919	1/2	92,132	1/2	107,346	1/2	122,557	1/2	137,766
3/4	1,576	3/4	16,455	3/4	31,595	3/4	46,809	3/4	62,022	3/4	77,236	3/4	92,449	3/4	107,663	3/4	122,874	3/4	138,083
1	1,797	1	16,771	1	31,912	1	47,126	1	62,339	1	77,553	1	92,766	1	107,980	1	123,191	1	138,400
1/4	2,017	1/4	17,086	1/4	32,229	1/4	47,443	1/4	62,656	1/4	77,870	1/4	93,083	1/4	108,297	1/4	123,508	1/4	138,717
1/2	2,301	1/2	17,402	1/2	32,546	1/2	47,760	1/2	62,973	1/2	78,187	1/2	93,400	1/2	108,614	1/2	123,825	1/2	139,034
3/4	2,585	3/4	17,717	3/4	32,863	3/4	48,077	3/4	63,290	3/4	78,504	3/4	93,717	3/4	108,931	3/4	124,142	3/4	139,351
2	2,868	2	18,032	2	33,180	2	48,393	2	63,607	2	78,821	2	94,034	2	109,248	2	124,458	2	139,668
1/4	3,152	1/4	18,348	1/4	33,497	1/4	48,710	1/4	63,924	1/4	79,138	1/4	94,351	1/4	109,565	1/4	124,775	1/4	139,984
1/2	3,468	1/2	18,663	1/2	33,814	1/2	49,027	1/2	64,241	1/2	79,454	1/2	94,668	1/2	109,882	1/2	125,092	1/2	140,301
3/4	3,783	3/4	18,978	3/4	34,131	3/4	49,344	3/4	64,558	3/4	79,771	3/4	94,985	3/4	110,199	3/4	125,409	3/4	140,618
3	4,099	3	19,294	3	34,448	3	49,661	3	64,875	3	80,088	3	95,302	3	110,515	3	125,726	3	140,935
1/4	4,414	1/4	19,609	1/4	34,765	1/4	49,978	1/4	65,192	1/4	80,405	1/4	95,619	1/4	110,832	1/4	126,043	1/4	141,252
1/2	4,731	1/2	19,924	1/2	35,082	1/2	50,295	1/2	65,509	1/2	80,722	1/2	95,936	1/2	111,149	1/2	126,360	1/2	141,569
3/4	5,048	3/4	20,239	3/4	35,399	3/4	50,612	3/4	65,826	3/4	81,039	3/4	96,253	3/4	111,466	3/4	126,676	3/4	141,886
4	5,365	4	20,555	4	35,715	4	50,929	4	66,143	4	81,356	4	96,570	4	111,783	4	126,993	4	142,202
1/4	5,682	1/4	20,870	1/4	36,032	1/4	51,246	1/4	66,460	1/4	81,673	1/4	96,887	1/4	112,100	1/4	127,310	1/4	142,519
1/2	5,999	1/2	21,185	1/2	36,349	1/2	51,563	1/2	66,777	1/2	81,990	1/2	97,204	1/2	112,417	1/2	127,627	1/2	142,836
3/4	6,316	3/4	21,501	3/4	36,666	3/4	51,880	3/4	67,093	3/4	82,307	3/4	97,521	3/4	112,734	3/4	127,944	3/4	143,153
5	6,633	5	21,816	5	36,983	5	52,197	5	67,410	5	82,624	5	97,838	5	113,051	5	128,261	5	143,470
1/4	6,950	1/4	22,131	1/4	37,300	1/4	52,514	1/4	67,727	1/4	82,941	1/4	98,154	1/4	113,368	1/4	128,578	1/4	143,787
1/2	7,267	1/2	22,447	1/2	37,617	1/2	52,831	1/2	68,044	1/2	83,258	1/2	98,471	1/2	113,685	1/2	128,894	1/2	144,104
3/4	7,584	3/4	22,762	3/4	37,934	3/4	53,148	3/4	68,361	3/4	83,575	3/4	98,788	3/4	114,002	3/4	129,211	3/4	144,420
6	7,901	6	23,077	6	38,251	6	53,465	6	68,678	6	83,892	6	99,105	6	114,319	6	129,528	6	144,737
1/4	8,218	1/4	23,393	1/4	38,568	1/4	53,782	1/4	68,995	1/4	84,209	1/4	99,422	1/4	114,636	1/4	129,845	1/4	145,054
1/2	8,535	1/2	23,708	1/2	38,885	1/2	54,099	1/2	69,312	1/2	84,526	1/2	99,739	1/2	114,953	1/2	130,162	1/2	145,371
3/4	8,852	3/4	24,023	3/4	39,202	3/4	54,415	3/4	69,629	3/4	84,843	3/4	100,056	3/4	115,270	3/4	130,479	3/4	145,688
7	9,168	7	24,338	7	39,519	7	54,732	7	69,946	7	85,160	7	100,373	7	115,586	7	130,796	7	146,005
1/4	9,485	1/4	24,654	1/4	39,836	1/4	55,049	1/4	70,263	1/4	85,477	1/4	100,690	1/4	115,903	1/4	131,112	1/4	146,322
1/2	9,802	1/2	24,969	1/2	40,153	1/2	55,366	1/2	70,580	1/2	85,793	1/2	101,007	1/2	116,220	1/2	131,429	1/2	146,638
3/4	10,119	3/4	25,284	3/4	40,470	3/4	55,683	3/4	70,897	3/4	86,110	3/4	101,324	3/4	116,537	3/4	131,746	3/4	146,955
8	10,436	8	25,600	8	40,787	8	56,000	8	71,214	8	86,427	8	101,641	8	116,854	8	132,063	8	147,272
1/4	10,753	1/4	25,915	1/4	41,104	1/4	56,317	1/4	71,531	1/4	86,744	1/4	101,958	1/4	117,171	1/4	132,380	1/4	147,589
1/2	11,070	1/2	26,230	1/2	41,421	1/2	56,634	1/2	71,848	1/2	87,061	1/2	102,275	1/2	117,488	1/2	132,697	1/2	147,906
3/4	11,387	3/4	26,546	3/4	41,738	3/4	56,951	3/4	72,165	3/4	87,378	3/4	102,592	3/4	117,804	3/4	133,014	3/4	148,223
9	11,704	9	26,861	9	42,054	9	57,268	9	72,482	9	87,695	9	102,909	9	118,121	9	133,330	9	148,539
1/4	12,021	1/4	27,176	1/4	42,371	1/4	57,585	1/4	72,799	1/4	88,012	1/4	103,226	1/4	118,438	1/4	133,647	1/4	148,856
1/2	12,338	1/2	27,492	1/2	42,688	1/2	57,902	1/2	73,115	1/2	88,329	1/2	103,543	1/2	118,755	1/2	133,964	1/2	149,173
3/4	12,655	3/4	27,807	3/4	43,005	3/4	58,219	3/4	73,432	3/4	88,646	3/4	103,860	3/4	119,072	3/4	134,281	3/4	149,490
10	12,972	10	28,122	10	43,322	10	58,536	10	73,749	10	88,963	10	104,177	10	119,389	10	134,598	10	149,807
1/4	13,289	1/4	28,438	1/4	43,639	1/4	58,853	1/4	74,066	1/4	89,280	1/4	104,493	1/4	119,706	1/4	134,915	1/4	150,124
1/2	13,606	1/2	28,753	1/2	43,956	1/2	59,170	1/2	74,383	1/2	89,597	1/2	104,810	1/2	120,022	1/2	135,232	1/2	150,441
3/4	13,923	3/4	29,068	3/4	44,273	3/4	59,487	3/4	74,700	3/4	89,914	3/4	105,127	3/4	120,339	3/4	135,548	3/4	150,757
11	14,240	11	29,384	11	44,590	11	59,804	11	75,017	11	90,231	11	105,444	11	120,656	11	135,865	11	151,074
1/4	14,557	1/4	29,699	1/4	44,907	1/4	60,121	1/4	75,334	1/4	90,548	1/4	105,761	1/4	120,973	1/4	136,182	1/4	151,391
1/2	14,874	1/2	30,015	1/2	45,224	1/2	60,438	1/2	75,651	1/2	90,865	1/2	106,078	1/2	121,290	1/2	136,499	1/2	151,708
3/4	15,191	3/4	30,330	3/4	45,541	3/4	60,754	3/4	75,968	3/4	91,182	3/4	106,395	3/4	121,607	3/4	136,816	3/4	152,025

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE

AND 45' 3" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 7/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	152,342	0	167,551	0	182,712	0	197,144	0	210,569	0		0		0		0		0	
1/4	152,659	1/4	167,868	1/4	183,023	1/4	197,434	1/4	210,837	1/4		1/4		1/4		1/4		1/4	
1/2	152,975	1/2	168,185	1/2	183,333	1/2	197,723	1/2	211,104	1/2		1/2		1/2		1/2		1/2	
3/4	153,292	3/4	168,501	3/4	183,642	3/4	198,011	3/4	211,370	3/4		3/4		3/4		3/4		3/4	
1	153,609	1	168,818	1	183,951	1	198,300	1	211,636	1		1		1		1		1	
1/4	153,926	1/4	169,135	1/4	184,261	1/4	198,588	1/4	211,902	1/4		1/4		1/4		1/4		1/4	
1/2	154,243	1/2	169,452	1/2	184,569	1/2	198,875	1/2	212,167	1/2		1/2		1/2		1/2		1/2	
3/4	154,560	3/4	169,769	3/4	184,876	3/4	199,162	3/4	212,432	3/4		3/4		3/4		3/4		3/4	
2	154,877	2	170,086	2	185,184	2	199,449	2	212,696	2		2		2		2		2	
1/4	155,193	1/4	170,403	1/4	185,492	1/4	199,735	1/4	212,961	1/4		1/4		1/4		1/4		1/4	
1/2	155,510	1/2	170,719	1/2	185,798	1/2	200,021	1/2	213,224	1/2		1/2		1/2		1/2		1/2	
3/4	155,827	3/4	171,036	3/4	186,104	3/4	200,306	3/4	213,487	3/4		3/4		3/4		3/4		3/4	
3	156,144	3	171,353	3	186,410	3	200,591	3	213,750	3		3		3		3		3	
1/4	156,461	1/4	171,670	1/4	186,716	1/4	200,876	1/4	214,013	1/4		1/4		1/4		1/4		1/4	
1/2	156,778	1/2	171,987	1/2	187,021	1/2	201,160	1/2	214,274	1/2		1/2		1/2		1/2		1/2	
3/4	157,095	3/4	172,304	3/4	187,325	3/4	201,443	3/4	214,536	3/4		3/4		3/4		3/4		3/4	
4	157,411	4	172,621	4	187,629	4	201,727	4	214,797	4		4		4		4		4	
1/4	157,728	1/4	172,937	1/4	187,934	1/4	202,011	1/4	215,059	1/4		1/4		1/4		1/4		1/4	
1/2	158,045	1/2	173,254	1/2	188,237	1/2	202,292	1/2	215,294	1/2		1/2		1/2		1/2		1/2	
3/4	158,362	3/4	173,571	3/4	188,539	3/4	202,574	3/4	215,529	3/4		3/4		3/4		3/4		3/4	
5	158,679	5	173,888	5	188,842	5	202,856	5	215,765	5		5		5		5		5	
1/4	158,996	1/4	174,205	1/4	189,145	1/4	203,138	1/4	216,000	1/4		1/4		1/4		1/4		1/4	
1/2	159,313	1/2	174,522	1/2	189,446	1/2	203,418	1/2	216,182	1/2		1/2		1/2		1/2		1/2	
3/4	159,629	3/4	174,839	3/4	189,747	3/4	203,699	3/4	216,365	3/4		3/4		3/4		3/4		3/4	
6	159,946	6	175,155	6	190,048	6	203,979	6	216,547	6		6		6		6		6	
1/4	160,263	1/4	175,472	1/4	190,350	1/4	204,259	1/4	216,730	1/4		1/4		1/4		1/4		1/4	
1/2	160,580	1/2	175,789	1/2	190,649	1/2	204,538	1/2	216,859	1/2		1/2		1/2		1/2		1/2	
3/4	160,897	3/4	176,106	3/4	190,949	3/4	204,816	3/4	216,989	3/4		3/4		3/4		3/4		3/4	
7	161,214	7	176,423	7	191,248	7	205,095	7	217,119	7		7		7		7		7	
1/4	161,531	1/4	176,740	1/4	191,548	1/4	205,374	1/4	217,248	1/4		1/4		1/4		1/4		1/4	
1/2	161,847	1/2	177,057	1/2	191,845	1/2	205,651	1/2	217,287	1/2		1/2		1/2		1/2		1/2	
3/4	162,164	3/4	177,373	3/4	192,143	3/4	205,928	3/4	<u>217,326</u>	3/4		3/4		3/4		3/4		3/4	
8	162,481	8	177,690	8	192,441	8	206,204	8		8		8		8		8		8	
1/4	162,798	1/4	178,007	1/4	192,739	1/4	206,481	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,115	1/2	178,323	1/2	193,035	1/2	206,757	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,432	3/4	178,639	3/4	193,331	3/4	207,032	3/4		3/4		3/4		3/4		3/4		3/4	
9	163,749	9	178,955	9	193,627	9	207,307	9		9		9		9		9		9	
1/4	164,065	1/4	179,271	1/4	193,924	1/4	207,583	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,382	1/2	179,585	1/2	194,218	1/2	207,856	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,699	3/4	179,900	3/4	194,513	3/4	208,130	3/4		3/4		3/4		3/4		3/4		3/4	
10	165,016	10	180,214	10	194,807	10	208,404	10		10		10		10		10		10	
1/4	165,333	1/4	180,528	1/4	195,102	1/4	208,677	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,650	1/2	180,841	1/2	195,395	1/2	208,949	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,967	3/4	181,154	3/4	195,688	3/4	209,221	3/4		3/4		3/4		3/4		3/4		3/4	
11	166,283	11	181,467	11	195,980	11	209,493	11		11		11		11		11		11	
1/4	166,600	1/4	181,779	1/4	196,273	1/4	209,765	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,917	1/2	182,090	1/2	196,564	1/2	210,033	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,234	3/4	182,401	3/4	196,854	3/4	210,301	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	973	0	15,426	0	30,556	0	45,690	0	60,823	0	75,957	0	91,090	0	106,223	0	121,354	0	136,476
1/4	1,130	1/4	15,741	1/4	30,872	1/4	46,005	1/4	61,139	1/4	76,272	1/4	91,406	1/4	106,538	1/4	121,669	1/4	136,791
1/2	1,349	1/2	16,057	1/2	31,187	1/2	46,320	1/2	61,454	1/2	76,588	1/2	91,721	1/2	106,853	1/2	121,984	1/2	137,106
3/4	1,568	3/4	16,372	3/4	31,502	3/4	46,636	3/4	61,769	3/4	76,903	3/4	92,036	3/4	107,168	3/4	122,299	3/4	137,421
1	1,787	1	16,687	1	31,818	1	46,951	1	62,085	1	77,218	1	92,351	1	107,484	1	122,614	1	137,736
1/4	2,007	1/4	17,002	1/4	32,133	1/4	47,266	1/4	62,400	1/4	77,533	1/4	92,667	1/4	107,799	1/4	122,929	1/4	138,051
1/2	2,289	1/2	17,318	1/2	32,448	1/2	47,582	1/2	62,715	1/2	77,849	1/2	92,982	1/2	108,114	1/2	123,245	1/2	138,366
3/4	2,571	3/4	17,633	3/4	32,763	3/4	47,897	3/4	63,030	3/4	78,164	3/4	93,297	3/4	108,430	3/4	123,560	3/4	138,681
2	2,853	2	17,948	2	33,079	2	48,212	2	63,346	2	78,479	2	93,612	2	108,745	2	123,875	2	138,996
1/4	3,136	1/4	18,263	1/4	33,394	1/4	48,527	1/4	63,661	1/4	78,795	1/4	93,928	1/4	109,060	1/4	124,190	1/4	139,311
1/2	3,450	1/2	18,578	1/2	33,709	1/2	48,843	1/2	63,976	1/2	79,110	1/2	94,243	1/2	109,375	1/2	124,505	1/2	139,626
3/4	3,763	3/4	18,893	3/4	34,024	3/4	49,158	3/4	64,292	3/4	79,425	3/4	94,558	3/4	109,691	3/4	124,821	3/4	139,941
3	4,077	3	19,209	3	34,340	3	49,473	3	64,607	3	79,740	3	94,873	3	110,006	3	125,136	3	140,255
1/4	4,391	1/4	19,524	1/4	34,655	1/4	49,789	1/4	64,922	1/4	80,056	1/4	95,189	1/4	110,321	1/4	125,451	1/4	140,570
1/2	4,706	1/2	19,839	1/2	34,970	1/2	50,104	1/2	65,237	1/2	80,371	1/2	95,504	1/2	110,636	1/2	125,766	1/2	140,885
3/4	5,022	3/4	20,154	3/4	35,286	3/4	50,419	3/4	65,553	3/4	80,686	3/4	95,819	3/4	110,952	3/4	126,081	3/4	141,200
4	5,337	4	20,469	4	35,601	4	50,734	4	65,868	4	81,002	4	96,134	4	111,267	4	126,397	4	141,515
1/4	5,652	1/4	20,785	1/4	35,916	1/4	51,050	1/4	66,183	1/4	81,317	1/4	96,450	1/4	111,582	1/4	126,712	1/4	141,830
1/2	5,968	1/2	21,100	1/2	36,231	1/2	51,365	1/2	66,499	1/2	81,632	1/2	96,765	1/2	111,897	1/2	127,027	1/2	142,145
3/4	6,283	3/4	21,415	3/4	36,547	3/4	51,680	3/4	66,814	3/4	81,947	3/4	97,080	3/4	112,213	3/4	127,342	3/4	142,460
5	6,598	5	21,730	5	36,862	5	51,996	5	67,129	5	82,263	5	97,395	5	112,528	5	127,657	5	142,775
1/4	6,913	1/4	22,045	1/4	37,177	1/4	52,311	1/4	67,444	1/4	82,578	1/4	97,711	1/4	112,843	1/4	127,973	1/4	143,090
1/2	7,229	1/2	22,361	1/2	37,493	1/2	52,626	1/2	67,760	1/2	82,893	1/2	98,026	1/2	113,158	1/2	128,288	1/2	143,405
3/4	7,544	3/4	22,676	3/4	37,808	3/4	52,941	3/4	68,075	3/4	83,208	3/4	98,341	3/4	113,474	3/4	128,603	3/4	143,720
6	7,859	6	22,991	6	38,123	6	53,257	6	68,390	6	83,524	6	98,656	6	113,789	6	128,918	6	144,034
1/4	8,174	1/4	23,306	1/4	38,438	1/4	53,572	1/4	68,706	1/4	83,839	1/4	98,972	1/4	114,104	1/4	129,233	1/4	144,349
1/2	8,490	1/2	23,621	1/2	38,754	1/2	53,887	1/2	69,021	1/2	84,154	1/2	99,287	1/2	114,419	1/2	129,548	1/2	144,666
3/4	8,805	3/4	23,936	3/4	39,069	3/4	54,203	3/4	69,336	3/4	84,470	3/4	99,602	3/4	114,735	3/4	129,863	3/4	144,964
7	9,120	7	24,252	7	39,384	7	54,518	7	69,651	7	84,785	7	99,918	7	115,050	7	130,178	7	145,271
1/4	9,436	1/4	24,567	1/4	39,700	1/4	54,833	1/4	69,967	1/4	85,100	1/4	100,233	1/4	115,365	1/4	130,493	1/4	145,578
1/2	9,751	1/2	24,882	1/2	40,015	1/2	55,148	1/2	70,282	1/2	85,415	1/2	100,548	1/2	115,680	1/2	130,808	1/2	145,870
3/4	10,066	3/4	25,197	3/4	40,330	3/4	55,464	3/4	70,597	3/4	85,731	3/4	100,863	3/4	115,995	3/4	131,123	3/4	146,163
8	10,381	8	25,512	8	40,645	8	55,779	8	70,912	8	86,046	8	101,179	8	116,311	8	131,438	8	146,455
1/4	10,697	1/4	25,828	1/4	40,961	1/4	56,094	1/4	71,228	1/4	86,361	1/4	101,494	1/4	116,626	1/4	131,753	1/4	146,748
1/2	11,012	1/2	26,143	1/2	41,276	1/2	56,410	1/2	71,543	1/2	86,677	1/2	101,809	1/2	116,941	1/2	132,068	1/2	147,026
3/4	11,327	3/4	26,458	3/4	41,591	3/4	56,725	3/4	71,858	3/4	86,992	3/4	102,124	3/4	117,256	3/4	132,382	3/4	147,304
9	11,643	9	26,773	9	41,907	9	57,040	9	72,174	9	87,307	9	102,440	9	117,571	9	132,697	9	147,581
1/4	11,958	1/4	27,088	1/4	42,222	1/4	57,355	1/4	72,489	1/4	87,622	1/4	102,755	1/4	117,886	1/4	133,012	1/4	147,859
1/2	12,273	1/2	27,404	1/2	42,537	1/2	57,671	1/2	72,804	1/2	87,938	1/2	103,070	1/2	118,202	1/2	133,327	1/2	148,123
3/4	12,588	3/4	27,719	3/4	42,852	3/4	57,986	3/4	73,119	3/4	88,253	3/4	103,385	3/4	118,517	3/4	133,642	3/4	148,386
10	12,904	10	28,034	10	43,168	10	58,301	10	73,435	10	88,568	10	103,701	10	118,832	10	133,957	10	148,649
1/4	13,219	1/4	28,349	1/4	43,483	1/4	58,616	1/4	73,750	1/4	88,883	1/4	104,016	1/4	119,147	1/4	134,272	1/4	148,913
1/2	13,534	1/2	28,665	1/2	43,798	1/2	58,932	1/2	74,065	1/2	89,199	1/2	104,331	1/2	119,462	1/2	134,587	1/2	149,162
3/4	13,850	3/4	28,980	3/4	44,114	3/4	59,247	3/4	74,381	3/4	89,514	3/4	104,646	3/4	119,778	3/4	134,902	3/4	149,410
11	14,165	11	29,295	11	44,429	11	59,562	11	74,696	11	89,829	11	104,962	11	120,093	11	135,217	11	149,659
1/4	14,480	1/4	29,611	1/4	44,744	1/4	59,878	1/4	75,011	1/4	90,145	1/4	105,277	1/4	120,408	1/4	135,532	1/4	149,908
1/2	14,795	1/2	29,926	1/2	45,059	1/2	60,193	1/2	75,326	1/2	90,460	1/2	105,592	1/2	120,723	1/2	135,847	1/2	150,150
3/4	15,111	3/4	30,241	3/4	45,375	3/4	60,508	3/4	75,642	3/4	90,775	3/4	105,907	3/4	121,038	3/4	136,162	3/4	150,391

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE AND 41' 5" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,633	0	162,253	0	173,846	0	184,882	0	195,152	0		0		0		0		0	
1/4	150,875	1/4	162,495	1/4	174,084	1/4	185,104	1/4	195,357	1/4		1/4		1/4		1/4		1/4	
1/2	151,116	1/2	162,738	1/2	174,320	1/2	185,325	1/2	195,561	1/2		1/2		1/2		1/2		1/2	
3/4	151,358	3/4	162,980	3/4	174,557	3/4	185,546	3/4	195,764	3/4		3/4		3/4		3/4		3/4	
1	151,600	1	163,222	1	174,793	1	185,766	1	195,968	1		1		1		1		1	
1/4	151,842	1/4	163,464	1/4	175,030	1/4	185,987	1/4	196,172	1/4		1/4		1/4		1/4		1/4	
1/2	152,083	1/2	163,707	1/2	175,265	1/2	186,206	1/2	196,374	1/2		1/2		1/2		1/2		1/2	
3/4	152,325	3/4	163,949	3/4	175,501	3/4	186,426	3/4	196,577	3/4		3/4		3/4		3/4		3/4	
2	152,567	2	164,191	2	175,736	2	186,645	2	196,779	2		2		2		2		2	
1/4	152,809	1/4	164,433	1/4	175,971	1/4	186,865	1/4	196,982	1/4		1/4		1/4		1/4		1/4	
1/2	153,050	1/2	164,676	1/2	176,205	1/2	187,083	1/2	197,183	1/2		1/2		1/2		1/2		1/2	
3/4	153,292	3/4	164,918	3/4	176,439	3/4	187,301	3/4	197,384	3/4		3/4		3/4		3/4		3/4	
3	153,534	3	165,160	3	176,674	3	187,519	3	197,585	3		3		3		3		3	
1/4	153,775	1/4	165,403	1/4	176,908	1/4	187,737	1/4	197,787	1/4		1/4		1/4		1/4		1/4	
1/2	154,017	1/2	165,645	1/2	177,140	1/2	187,954	1/2	197,987	1/2		1/2		1/2		1/2		1/2	
3/4	154,259	3/4	165,887	3/4	177,373	3/4	188,171	3/4	198,187	3/4		3/4		3/4		3/4		3/4	
4	154,501	4	166,129	4	177,606	4	188,388	4	198,387	4		4		4		4		4	
1/4	154,742	1/4	166,372	1/4	177,839	1/4	188,605	1/4	198,587	1/4		1/4		1/4		1/4		1/4	
1/2	154,985	1/2	166,614	1/2	178,070	1/2	188,820	1/2	198,766	1/2		1/2		1/2		1/2		1/2	
3/4	155,227	3/4	166,856	3/4	178,302	3/4	189,036	3/4	198,946	3/4		3/4		3/4		3/4		3/4	
5	155,469	5	167,099	5	178,534	5	189,252	5	199,126	5		5		5		5		5	
1/4	155,711	1/4	167,341	1/4	178,765	1/4	189,467	1/4	199,306	1/4		1/4		1/4		1/4		1/4	
1/2	155,954	1/2	167,583	1/2	178,995	1/2	189,682	1/2	199,446	1/2		1/2		1/2		1/2		1/2	
3/4	156,196	3/4	167,825	3/4	179,226	3/4	189,896	3/4	199,585	3/4		3/4		3/4		3/4		3/4	
6	156,438	6	168,068	6	179,456	6	190,110	6	199,725	6		6		6		6		6	
1/4	156,681	1/4	168,310	1/4	179,686	1/4	190,325	1/4	199,864	1/4		1/4		1/4		1/4		1/4	
1/2	156,923	1/2	168,552	1/2	179,915	1/2	190,538	1/2	199,963	1/2		1/2		1/2		1/2		1/2	
3/4	157,165	3/4	168,794	3/4	180,144	3/4	190,751	3/4	200,062	3/4		3/4		3/4		3/4		3/4	
7	157,407	7	169,037	7	180,373	7	190,964	7	200,162	7		7		7		7		7	
1/4	157,650	1/4	169,279	1/4	180,602	1/4	191,177	1/4	200,261	1/4		1/4		1/4		1/4		1/4	
1/2	157,892	1/2	169,521	1/2	180,830	1/2	191,389	1/2	<u>200,319</u>	1/2		1/2		1/2		1/2		1/2	
3/4	158,134	3/4	169,764	3/4	181,058	3/4	191,601	3/4		3/4		3/4		3/4		3/4		3/4	
8	158,377	8	170,006	8	181,286	8	191,813	8		8		8		8		8		8	
1/4	158,619	1/4	170,248	1/4	181,513	1/4	192,025	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,861	1/2	170,490	1/2	181,740	1/2	192,235	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,103	3/4	170,731	3/4	181,966	3/4	192,446	3/4		3/4		3/4		3/4		3/4		3/4	
9	159,346	9	170,973	9	182,193	9	192,657	9		9		9		9		9		9	
1/4	159,588	1/4	171,215	1/4	182,419	1/4	192,867	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,830	1/2	171,455	1/2	182,645	1/2	193,077	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,072	3/4	171,695	3/4	182,870	3/4	193,286	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,315	10	171,936	10	183,095	10	193,495	10		10		10		10		10		10	
1/4	160,557	1/4	172,176	1/4	183,321	1/4	193,705	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,799	1/2	172,415	1/2	183,545	1/2	193,913	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,042	3/4	172,654	3/4	183,769	3/4	194,121	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,284	11	172,893	11	183,993	11	194,329	11		11		11		11		11		11	
1/4	161,526	1/4	173,132	1/4	184,217	1/4	194,537	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,768	1/2	173,370	1/2	184,438	1/2	194,742	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,011	3/4	173,608	3/4	184,660	3/4	194,947	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	977	0	15,472	0	30,574	0	45,735	0	60,898	0	76,060	0	91,222	0	106,380	0	121,539	0	136,691
1/4	1,134	1/4	15,787	1/4	30,889	1/4	46,051	1/4	61,214	1/4	76,376	1/4	91,538	1/4	106,695	1/4	121,854	1/4	137,006
1/2	1,354	1/2	16,102	1/2	31,205	1/2	46,367	1/2	61,530	1/2	76,692	1/2	91,854	1/2	107,011	1/2	122,170	1/2	137,322
3/4	1,574	3/4	16,417	3/4	31,521	3/4	46,683	3/4	61,845	3/4	77,008	3/4	92,170	3/4	107,327	3/4	122,486	3/4	137,637
1	1,794	1	16,732	1	31,837	1	46,999	1	62,161	1	77,324	1	92,486	1	107,643	1	122,802	1	137,953
1/4	2,014	1/4	17,047	1/4	32,152	1/4	47,315	1/4	62,477	1/4	77,640	1/4	92,802	1/4	107,958	1/4	123,118	1/4	138,268
1/2	2,297	1/2	17,361	1/2	32,468	1/2	47,631	1/2	62,793	1/2	77,955	1/2	93,117	1/2	108,274	1/2	123,433	1/2	138,584
3/4	2,580	3/4	17,676	3/4	32,784	3/4	47,947	3/4	63,109	3/4	78,217	3/4	93,433	3/4	108,590	3/4	123,749	3/4	138,899
2	2,864	2	17,990	2	33,100	2	48,262	2	63,425	2	78,587	2	93,749	2	108,906	2	124,065	2	139,215
1/4	3,147	1/4	18,305	1/4	33,416	1/4	48,578	1/4	63,741	1/4	78,903	1/4	94,065	1/4	109,221	1/4	124,381	1/4	139,530
1/2	3,462	1/2	18,619	1/2	33,732	1/2	48,894	1/2	64,057	1/2	79,219	1/2	94,381	1/2	109,537	1/2	124,697	1/2	139,846
3/4	3,777	3/4	18,934	3/4	34,048	3/4	49,210	3/4	64,372	3/4	79,535	3/4	94,697	3/4	109,853	3/4	125,012	3/4	140,161
3	4,092	3	19,249	3	34,364	3	49,526	3	64,688	3	79,851	3	95,012	3	110,169	3	125,328	3	140,477
1/4	4,407	1/4	19,563	1/4	34,679	1/4	49,842	1/4	65,004	1/4	80,167	1/4	95,328	1/4	110,485	1/4	125,644	1/4	140,792
1/2	4,723	1/2	19,878	1/2	34,995	1/2	50,158	1/2	65,320	1/2	80,483	1/2	95,644	1/2	110,801	1/2	125,960	1/2	141,108
3/4	5,040	3/4	20,192	3/4	35,311	3/4	50,474	3/4	65,636	3/4	80,798	3/4	95,960	3/4	111,117	3/4	126,276	3/4	141,423
4	5,356	4	20,507	4	35,627	4	50,790	4	65,952	4	81,114	4	96,275	4	111,433	4	126,591	4	141,739
1/4	5,672	1/4	20,821	1/4	35,943	1/4	51,105	1/4	66,268	1/4	81,430	1/4	96,591	1/4	111,748	1/4	126,907	1/4	142,054
1/2	5,989	1/2	21,136	1/2	36,259	1/2	51,421	1/2	66,584	1/2	81,746	1/2	96,907	1/2	112,064	1/2	127,223	1/2	142,370
3/4	6,305	3/4	21,450	3/4	36,575	3/4	51,737	3/4	66,900	3/4	82,062	3/4	97,223	3/4	112,380	3/4	127,539	3/4	142,686
5	6,622	5	21,765	5	36,891	5	52,053	5	67,215	5	82,378	5	97,538	5	112,696	5	127,855	5	143,001
1/4	6,938	1/4	22,080	1/4	37,207	1/4	52,369	1/4	67,531	1/4	82,694	1/4	97,854	1/4	113,012	1/4	128,170	1/4	143,317
1/2	7,254	1/2	22,394	1/2	37,522	1/2	52,685	1/2	67,847	1/2	83,010	1/2	98,170	1/2	113,328	1/2	128,486	1/2	143,632
3/4	7,571	3/4	22,709	3/4	37,838	3/4	53,001	3/4	68,163	3/4	83,325	3/4	98,486	3/4	113,644	3/4	128,802	3/4	143,948
6	7,887	6	23,023	6	38,154	6	53,317	6	68,479	6	83,641	6	98,801	6	113,959	6	129,118	6	144,263
1/4	8,204	1/4	23,338	1/4	38,470	1/4	53,632	1/4	68,795	1/4	83,957	1/4	99,117	1/4	114,275	1/4	129,433	1/4	144,579
1/2	8,520	1/2	23,652	1/2	38,786	1/2	53,948	1/2	69,111	1/2	84,273	1/2	99,433	1/2	114,591	1/2	129,749	1/2	144,886
3/4	8,836	3/4	23,967	3/4	39,102	3/4	54,264	3/4	69,427	3/4	84,589	3/4	99,749	3/4	114,907	3/4	130,065	3/4	145,194
7	9,153	7	24,282	7	39,418	7	54,580	7	69,742	7	84,905	7	100,064	7	115,223	7	130,380	7	145,502
1/4	9,469	1/4	24,596	1/4	39,734	1/4	54,896	1/4	70,058	1/4	85,221	1/4	100,380	1/4	115,538	1/4	130,696	1/4	145,809
1/2	9,785	1/2	24,911	1/2	40,049	1/2	55,212	1/2	70,374	1/2	85,537	1/2	100,696	1/2	115,854	1/2	131,011	1/2	146,102
3/4	10,101	3/4	25,225	3/4	40,365	3/4	55,528	3/4	70,690	3/4	85,853	3/4	101,012	3/4	116,170	3/4	131,327	3/4	146,395
8	10,417	8	25,540	8	40,681	8	55,844	8	71,006	8	86,168	8	101,327	8	116,486	8	131,642	8	146,688
1/4	10,733	1/4	25,854	1/4	40,997	1/4	56,160	1/4	71,322	1/4	86,484	1/4	101,643	1/4	116,802	1/4	131,958	1/4	146,981
1/2	11,049	1/2	26,169	1/2	41,313	1/2	56,475	1/2	71,638	1/2	86,800	1/2	101,959	1/2	117,117	1/2	132,273	1/2	147,260
3/4	11,365	3/4	26,483	3/4	41,629	3/4	56,791	3/4	71,954	3/4	87,116	3/4	102,275	3/4	117,433	3/4	132,589	3/4	147,538
9	11,681	9	26,798	9	41,945	9	57,107	9	72,270	9	87,432	9	102,591	9	117,749	9	132,904	9	147,817
1/4	11,997	1/4	27,113	1/4	42,261	1/4	57,423	1/4	72,585	1/4	87,748	1/4	102,906	1/4	118,065	1/4	133,220	1/4	148,095
1/2	12,312	1/2	27,427	1/2	42,577	1/2	57,739	1/2	72,901	1/2	88,064	1/2	103,222	1/2	118,381	1/2	133,535	1/2	148,359
3/4	12,628	3/4	27,742	3/4	42,892	3/4	58,055	3/4	73,217	3/4	88,380	3/4	103,538	3/4	118,696	3/4	133,851	3/4	148,623
10	12,944	10	28,057	10	43,208	10	58,371	10	73,533	10	88,695	10	103,854	10	119,012	10	134,166	10	148,886
1/4	13,260	1/4	28,371	1/4	43,524	1/4	58,687	1/4	73,849	1/4	89,011	1/4	104,169	1/4	119,328	1/4	134,482	1/4	149,150
1/2	13,576	1/2	28,686	1/2	43,840	1/2	59,002	1/2	74,165	1/2	89,327	1/2	104,485	1/2	119,644	1/2	134,797	1/2	149,399
3/4	13,892	3/4	29,000	3/4	44,156	3/4	59,318	3/4	74,481	3/4	89,643	3/4	104,801	3/4	119,960	3/4	135,113	3/4	149,648
11	14,208	11	29,315	11	44,472	11	59,634	11	74,797	11	89,959	11	105,117	11	120,275	11	135,428	11	149,897
1/4	14,524	1/4	29,630	1/4	44,788	1/4	59,950	1/4	75,113	1/4	90,275	1/4	105,432	1/4	120,591	1/4	135,744	1/4	150,147
1/2	14,840	1/2	29,945	1/2	45,104	1/2	60,266	1/2	75,428	1/2	90,591	1/2	105,748	1/2	120,907	1/2	136,060	1/2	150,389
3/4	15,156	3/4	30,259	3/4	45,419	3/4	60,582	3/4	75,744	3/4	90,906	3/4	106,064	3/4	121,223	3/4	136,375	3/4	150,631

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE AND 41' 5" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 3 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,873	0	162,530	0	174,163	0	185,238	0	195,544	0		0		0		0		0	
1/4	151,115	1/4	162,773	1/4	174,402	1/4	185,461	1/4	195,749	1/4		1/4		1/4		1/4		1/4	
1/2	151,357	1/2	163,016	1/2	174,639	1/2	185,682	1/2	195,954	1/2		1/2		1/2		1/2		1/2	
3/4	151,599	3/4	163,259	3/4	174,877	3/4	185,904	3/4	196,158	3/4		3/4		3/4		3/4		3/4	
1	151,841	1	163,502	1	175,114	1	186,125	1	196,363	1		1		1		1		1	
1/4	152,083	1/4	163,745	1/4	175,352	1/4	186,347	1/4	196,567	1/4		1/4		1/4		1/4		1/4	
1/2	152,325	1/2	163,989	1/2	175,588	1/2	186,567	1/2	196,770	1/2		1/2		1/2		1/2		1/2	
3/4	152,567	3/4	164,232	3/4	175,824	3/4	186,787	3/4	196,974	3/4		3/4		3/4		3/4		3/4	
2	152,810	2	164,475	2	176,060	2	187,007	2	197,177	2		2		2		2		2	
1/4	153,052	1/4	164,718	1/4	176,296	1/4	187,227	1/4	197,380	1/4		1/4		1/4		1/4		1/4	
1/2	153,295	1/2	164,961	1/2	176,531	1/2	187,446	1/2	197,582	1/2		1/2		1/2		1/2		1/2	
3/4	153,538	3/4	165,204	3/4	176,766	3/4	187,665	3/4	197,784	3/4		3/4		3/4		3/4		3/4	
3	153,780	3	165,447	3	177,001	3	187,884	3	197,986	3		3		3		3		3	
1/4	154,023	1/4	165,690	1/4	177,236	1/4	188,103	1/4	198,188	1/4		1/4		1/4		1/4		1/4	
1/2	154,265	1/2	165,934	1/2	177,469	1/2	188,321	1/2	198,388	1/2		1/2		1/2		1/2		1/2	
3/4	154,508	3/4	166,177	3/4	177,703	3/4	188,538	3/4	198,589	3/4		3/4		3/4		3/4		3/4	
4	154,750	4	166,420	4	177,937	4	188,756	4	198,790	4		4		4		4		4	
1/4	154,993	1/4	166,663	1/4	178,170	1/4	188,974	1/4	198,990	1/4		1/4		1/4		1/4		1/4	
1/2	155,236	1/2	166,906	1/2	178,402	1/2	189,190	1/2	199,171	1/2		1/2		1/2		1/2		1/2	
3/4	155,479	3/4	167,149	3/4	178,635	3/4	189,406	3/4	199,351	3/4		3/4		3/4		3/4		3/4	
5	155,722	5	167,392	5	178,867	5	189,623	5	199,532	5		5		5		5		5	
1/4	155,966	1/4	167,635	1/4	179,100	1/4	189,839	1/4	199,713	1/4		1/4		1/4		1/4		1/4	
1/2	156,209	1/2	167,879	1/2	179,331	1/2	190,054	1/2	199,853	1/2		1/2		1/2		1/2		1/2	
3/4	156,452	3/4	168,122	3/4	179,562	3/4	190,269	3/4	199,992	3/4		3/4		3/4		3/4		3/4	
6	156,695	6	168,365	6	179,793	6	190,485	6	200,132	6		6		6		6		6	
1/4	156,938	1/4	168,608	1/4	180,024	1/4	190,700	1/4	200,272	1/4		1/4		1/4		1/4		1/4	
1/2	157,181	1/2	168,851	1/2	180,254	1/2	190,914	1/2	200,372	1/2		1/2		1/2		1/2		1/2	
3/4	157,424	3/4	169,094	3/4	180,484	3/4	191,127	3/4	200,471	3/4		3/4		3/4		3/4		3/4	
7	157,667	7	169,337	7	180,713	7	191,341	7	200,571	7		7		7		7		7	
1/4	157,911	1/4	169,580	1/4	180,943	1/4	191,555	1/4	200,670	1/4		1/4		1/4		1/4		1/4	
1/2	158,154	1/2	169,824	1/2	181,172	1/2	191,768	1/2	200,729	1/2		1/2		1/2		1/2		1/2	
3/4	158,397	3/4	170,067	3/4	181,400	3/4	191,980	3/4	200,759	3/4		3/4		3/4		3/4		3/4	
8	158,640	8	170,310	8	181,629	8	192,193	8		8		8		8		8		8	
1/4	158,883	1/4	170,553	1/4	181,858	1/4	192,406	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,126	1/2	170,795	1/2	182,085	1/2	192,617	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,369	3/4	171,038	3/4	182,312	3/4	192,828	3/4		3/4		3/4		3/4		3/4		3/4	
9	159,612	9	171,280	9	182,539	9	193,040	9		9		9		9		9		9	
1/4	159,856	1/4	171,523	1/4	182,767	1/4	193,251	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,099	1/2	171,764	1/2	182,993	1/2	193,461	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,342	3/4	172,005	3/4	183,219	3/4	193,671	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,585	10	172,246	10	183,445	10	193,881	10		10		10		10		10		10	
1/4	160,828	1/4	172,488	1/4	183,671	1/4	194,091	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,071	1/2	172,727	1/2	183,896	1/2	194,300	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,314	3/4	172,967	3/4	184,120	3/4	194,509	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,557	11	173,207	11	184,345	11	194,718	11		11		11		11		11		11	
1/4	161,801	1/4	173,447	1/4	184,570	1/4	194,927	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,044	1/2	173,686	1/2	184,793	1/2	195,132	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,287	3/4	173,925	3/4	185,015	3/4	195,338	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK