



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

1 PORT

ULLAGE TABLE CLOSED GAUGING

GAUGE HEIGHT 18'-10 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

CLOSED GAUGING USING HERMETIC GAUGE TAPE

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0	209,230	0	195,623	0	181,017	0	165,786	0	150,542
1/4		1/4		1/4		1/4		1/4		1/4	208,956	1/4	195,328	1/4	180,702	1/4	165,469	1/4	150,225
1/2		1/2		1/2		1/2		1/2		1/2	208,682	1/2	195,033	1/2	180,386	1/2	165,151	1/2	149,907
3/4		3/4		3/4		3/4		3/4		3/4	208,407	3/4	194,738	3/4	180,071	3/4	164,833	3/4	149,589
1		1		1		1		1		1	208,133	1	194,443	1	179,756	1	164,516	1	149,272
1/4		1/4		1/4		1/4		1/4		1/4	207,857	1/4	194,146	1/4	179,440	1/4	164,198	1/4	148,954
1/2		1/2		1/2		1/2		1/2		1/2	207,581	1/2	193,849	1/2	179,123	1/2	163,881	1/2	148,637
3/4		3/4		3/4		3/4		3/4		3/4	207,305	3/4	193,552	3/4	178,806	3/4	163,563	3/4	148,319
2		2		2		2		2		2	207,029	2	193,255	2	178,490	2	163,245	2	148,001
1/4		1/4		1/4		1/4		1/4		1/4	206,752	1/4	192,957	1/4	178,172	1/4	162,928	1/4	147,684
1/2		1/2		1/2		1/2		1/2	217,975	1/2	206,474	1/2	192,658	1/2	177,854	1/2	162,610	1/2	147,366
3/4		3/4		3/4		3/4		3/4	217,898	3/4	206,196	3/4	192,360	3/4	177,537	3/4	162,293	3/4	147,049
3		3		3		3		3	217,821	3	205,919	3	192,061	3	177,219	3	161,975	3	146,731
1/4		1/4		1/4		1/4		1/4	217,691	1/4	205,640	1/4	191,761	1/4	176,902	1/4	161,658	1/4	146,414
1/2		1/2		1/2		1/2		1/2	217,561	1/2	205,360	1/2	191,461	1/2	176,584	1/2	161,340	1/2	146,096
3/4		3/4		3/4		3/4		3/4	217,431	3/4	205,081	3/4	191,160	3/4	176,266	3/4	161,022	3/4	145,778
4		4		4		4		4	217,301	4	204,802	4	190,860	4	175,949	4	160,705	4	145,461
1/4		1/4		1/4		1/4		1/4	217,118	1/4	204,521	1/4	190,558	1/4	175,631	1/4	160,387	1/4	145,143
1/2		1/2		1/2		1/2		1/2	216,936	1/2	204,240	1/2	190,257	1/2	175,314	1/2	160,070	1/2	144,826
3/4		3/4		3/4		3/4		3/4	216,753	3/4	203,959	3/4	189,955	3/4	174,996	3/4	159,752	3/4	144,508
5		5		5		5		5	216,570	5	203,678	5	189,653	5	174,679	5	159,434	5	144,190
1/4		1/4		1/4		1/4		1/4	216,334	1/4	203,396	1/4	189,349	1/4	174,361	1/4	159,117	1/4	143,873
1/2		1/2		1/2		1/2		1/2	216,098	1/2	203,113	1/2	189,046	1/2	174,043	1/2	158,799	1/2	143,555
3/4		3/4		3/4		3/4		3/4	215,862	3/4	202,831	3/4	188,743	3/4	173,726	3/4	158,482	3/4	143,238
6		6		6		6		6	215,626	6	202,548	6	188,439	6	173,408	6	158,164	6	142,920
1/4		1/4		1/4		1/4		1/4	215,364	1/4	202,264	1/4	188,134	1/4	173,091	1/4	157,847	1/4	142,603
1/2		1/2		1/2		1/2		1/2	215,102	1/2	201,980	1/2	187,829	1/2	172,773	1/2	157,529	1/2	142,285
3/4		3/4		3/4		3/4		3/4	214,840	3/4	201,695	3/4	187,524	3/4	172,455	3/4	157,211	3/4	141,967
7		7		7		7		7	214,578	7	201,411	7	187,219	7	172,138	7	156,894	7	141,650
1/4		1/4		1/4		1/4		1/4	214,315	1/4	201,125	1/4	186,912	1/4	171,820	1/4	156,576	1/4	141,332
1/2		1/2		1/2		1/2		1/2	214,051	1/2	200,839	1/2	186,605	1/2	171,503	1/2	156,259	1/2	141,015
3/4		3/4		3/4		3/4		3/4	213,788	3/4	200,554	3/4	186,298	3/4	171,185	3/4	155,941	3/4	140,697
8		8		8		8		8	213,524	8	200,268	8	185,991	8	170,868	8	155,623	8	140,379
1/4		1/4		1/4		1/4		1/4	213,259	1/4	199,980	1/4	185,683	1/4	170,550	1/4	155,306	1/4	140,062
1/2		1/2		1/2		1/2		1/2	212,993	1/2	199,693	1/2	185,374	1/2	170,232	1/2	154,988	1/2	139,744
3/4		3/4		3/4		3/4		3/4	212,728	3/4	199,405	3/4	185,066	3/4	169,915	3/4	154,671	3/4	139,427
9		9		9		9		9	212,463	9	199,118	9	184,758	9	169,597	9	154,353	9	139,109
1/4		1/4		1/4		1/4		1/4	212,196	1/4	198,828	1/4	184,447	1/4	169,280	1/4	154,036	1/4	138,792
1/2		1/2		1/2		1/2		1/2	211,929	1/2	198,539	1/2	184,137	1/2	168,962	1/2	153,718	1/2	138,474
3/4		3/4		3/4		3/4		3/4	211,662	3/4	198,250	3/4	183,827	3/4	168,644	3/4	153,400	3/4	138,156
10		10		10		10		10	211,395	10	197,961	10	183,517	10	168,327	10	153,083	10	137,839
1/4		1/4		1/4		1/4		1/4	211,126	1/4	197,670	1/4	183,205	1/4	168,009	1/4	152,765	1/4	137,521
1/2		1/2		1/2		1/2		1/2	210,858	1/2	197,379	1/2	182,894	1/2	167,692	1/2	152,448	1/2	137,204
3/4		3/4		3/4		3/4		3/4	210,589	3/4	197,088	3/4	182,582	3/4	167,374	3/4	152,130	3/4	136,886
11		11		11		11		11	210,321	11	196,798	11	182,270	11	167,056	11	151,812	11	136,568
1/4		1/4		1/4		1/4		1/4	210,048	1/4	196,504	1/4	181,957	1/4	166,739	1/4	151,495	1/4	136,251
1/2		1/2		1/2		1/2		1/2	209,775	1/2	196,211	1/2	181,643	1/2	166,421	1/2	151,177	1/2	135,933
3/4		3/4		3/4		3/4		3/4	209,503	3/4	195,917	3/4	181,330	3/4	166,104	3/4	150,860	3/4	135,616

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE AND 45' 3" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

1 STBD

ULLAGE TABLE CLOSED GAUGING

GAUGE HEIGHT 18'-11 1/8"

CAPACITIES GIVEN IN WHOLE GALLONS

CLOSED GAUGING USING HERMETIC GAUGE TAPE

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0	210,758	0	197,187	0	182,610	0	167,352	0	152,066
1/4		1/4		1/4		1/4		1/4		1/4	210,485	1/4	196,893	1/4	182,296	1/4	167,034	1/4	151,748
1/2		1/2		1/2		1/2		1/2		1/2	210,211	1/2	196,598	1/2	181,981	1/2	166,715	1/2	151,429
3/4		3/4		3/4		3/4		3/4		3/4	209,938	3/4	196,304	3/4	181,667	3/4	166,397	3/4	151,111
1		1		1		1		1		1	209,664	1	196,009	1	181,352	1	166,078	1	150,792
1/4		1/4		1/4		1/4		1/4		1/4	209,389	1/4	195,713	1/4	181,036	1/4	165,760	1/4	150,474
1/2		1/2		1/2		1/2		1/2		1/2	209,114	1/2	195,417	1/2	180,720	1/2	165,441	1/2	150,155
3/4		3/4		3/4		3/4		3/4		3/4	208,839	3/4	195,121	3/4	180,404	3/4	165,123	3/4	149,837
2		2		2		2		2		2	208,563	2	194,824	2	180,087	2	164,805	2	149,519
1/4		1/4		1/4		1/4		1/4		1/4	208,286	1/4	194,526	1/4	179,770	1/4	164,486	1/4	149,200
1/2		1/2		1/2		1/2		1/2		1/2	208,009	1/2	194,229	1/2	179,452	1/2	164,168	1/2	148,882
3/4		3/4		3/4		3/4		3/4		3/4	207,733	3/4	193,931	3/4	179,135	3/4	163,849	3/4	148,563
3		3		3		3		3		3	207,455	3	193,632	3	178,817	3	163,531	3	148,245
1/4		1/4		1/4		1/4		1/4		1/4	207,177	1/4	193,333	1/4	178,498	1/4	163,212	1/4	147,926
1/2		1/2		1/2		1/2		5/8	218,493	1/2	206,898	1/2	193,034	1/2	178,180	1/2	162,894	1/2	147,608
3/4		3/4		3/4		3/4		3/4	218,455	3/4	206,620	3/4	192,734	3/4	177,861	3/4	162,575	3/4	147,289
4		4		4		4		4		4	218,351	4	206,341	4	192,434	4	177,543	4	146,971
1/4		1/4		1/4		1/4		1/4		1/4	218,221	1/4	206,061	1/4	192,133	1/4	177,224	1/4	146,652
1/2		1/2		1/2		1/2		1/2		1/2	218,090	1/2	205,781	1/2	191,832	1/2	176,906	1/2	146,334
3/4		3/4		3/4		3/4		3/4		3/4	217,960	3/4	205,501	3/4	191,531	3/4	176,587	3/4	146,016
5		5		5		5		5		5	217,803	5	205,220	5	191,229	5	176,269	5	145,697
1/4		1/4		1/4		1/4		1/4		1/4	217,620	1/4	204,938	1/4	190,927	1/4	175,951	1/4	145,379
1/2		1/2		1/2		1/2		1/2		1/2	217,436	1/2	204,657	1/2	190,624	1/2	175,632	1/2	145,060
3/4		3/4		3/4		3/4		3/4		3/4	217,253	3/4	204,375	3/4	190,321	3/4	175,314	3/4	144,742
6		6		6		6		6		6	217,043	6	204,092	6	190,018	6	174,995	6	144,423
1/4		1/4		1/4		1/4		1/4		1/4	216,806	1/4	203,809	1/4	189,714	1/4	174,677	1/4	144,105
1/2		1/2		1/2		1/2		1/2		1/2	216,570	1/2	203,526	1/2	189,409	1/2	174,358	1/2	143,786
3/4		3/4		3/4		3/4		3/4		3/4	216,333	3/4	203,242	3/4	189,105	3/4	174,040	3/4	143,468
7		7		7		7		7		7	216,084	7	202,958	7	188,800	7	173,721	7	143,149
1/4		1/4		1/4		1/4		1/4		1/4	215,821	1/4	202,673	1/4	188,494	1/4	173,403	1/4	142,831
1/2		1/2		1/2		1/2		1/2		1/2	215,558	1/2	202,388	1/2	188,188	1/2	173,084	1/2	142,512
3/4		3/4		3/4		3/4		3/4		3/4	215,296	3/4	202,103	3/4	187,882	3/4	172,766	3/4	142,194
8		8		8		8		8		8	215,032	8	201,817	8	187,575	8	172,448	8	141,876
1/4		1/4		1/4		1/4		1/4		1/4	214,768	1/4	201,531	1/4	187,267	1/4	172,129	1/4	141,557
1/2		1/2		1/2		1/2		1/2		1/2	214,503	1/2	201,244	1/2	186,960	1/2	171,811	1/2	141,239
3/4		3/4		3/4		3/4		3/4		3/4	214,239	3/4	200,957	3/4	186,652	3/4	171,492	3/4	140,920
9		9		9		9		9		9	213,974	9	200,670	9	186,344	9	171,174	9	140,602
1/4		1/4		1/4		1/4		1/4		1/4	213,708	1/4	200,382	1/4	186,034	1/4	170,855	1/4	140,283
1/2		1/2		1/2		1/2		1/2		1/2	213,442	1/2	200,093	1/2	185,725	1/2	170,537	1/2	139,965
3/4		3/4		3/4		3/4		3/4		3/4	213,176	3/4	199,805	3/4	185,416	3/4	170,218	3/4	139,646
10		10		10		10		10		10	212,909	10	199,516	10	185,106	10	169,900	10	139,328
1/4		1/4		1/4		1/4		1/4		1/4	212,641	1/4	199,226	1/4	184,795	1/4	169,581	1/4	139,009
1/2		1/2		1/2		1/2		1/2		1/2	212,374	1/2	198,936	1/2	184,484	1/2	169,263	1/2	138,691
3/4		3/4		3/4		3/4		3/4		3/4	212,106	3/4	198,646	3/4	184,173	3/4	168,944	3/4	138,373
11		11		11		11		11		11	211,838	11	198,355	11	183,861	11	168,626	11	138,054
1/4		1/4		1/4		1/4		1/4		1/4	211,568	1/4	198,063	1/4	183,548	1/4	168,308	1/4	137,736
1/2		1/2		1/2		1/2		1/2		1/2	211,299	1/2	197,772	1/2	183,236	1/2	167,989	1/2	137,417
3/4		3/4		3/4		3/4		3/4		3/4	211,030	3/4	197,480	3/4	182,923	3/4	167,671	3/4	137,099

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE AND 45' 3" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

2 STBD

ULLAGE TABLE CLOSED GAUGING

GAUGE HEIGHT 18'-10 1/2"

CAPACITIES GIVEN IN WHOLE GALLONS

CLOSED GAUGING USING HERMETIC GAUGE TAPE

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0	208,949	0	195,395	0	180,841	0	165,650	0	150,441
1/4		1/4		1/4		1/4		1/4		1/4	208,677	1/4	195,102	1/4	180,528	1/4	165,333	1/4	150,124
1/2		1/2		1/2		1/2		1/2		1/2	208,404	1/2	194,807	1/2	180,214	1/2	165,016	1/2	149,807
3/4		3/4		3/4		3/4		3/4		3/4	208,130	3/4	194,513	3/4	179,900	3/4	164,699	3/4	149,490
1		1		1		1		1		1	207,856	1	194,218	1	179,585	1	164,382	1	149,173
1/4		1/4		1/4		1/4		1/4		1/4	207,583	1/4	193,924	1/4	179,271	1/4	164,065	1/4	148,856
1/2		1/2		1/2		1/2		1/2		1/2	207,307	1/2	193,627	1/2	178,955	1/2	163,749	1/2	148,539
3/4		3/4		3/4		3/4		3/4		3/4	207,032	3/4	193,331	3/4	178,639	3/4	163,432	3/4	148,223
2		2		2		2		2		2	206,757	2	193,035	2	178,323	2	163,115	2	147,906
1/4		1/4		1/4		1/4		1/4		1/4	206,481	1/4	192,739	1/4	178,007	1/4	162,798	1/4	147,589
1/2		1/2		1/2		1/2		1/2		1/2	206,204	1/2	192,441	1/2	177,690	1/2	162,481	1/2	147,272
3/4		3/4		3/4		3/4		3/4		3/4	205,928	3/4	192,143	3/4	177,373	3/4	162,164	3/4	146,955
3		3		3		3		3	217,287	3	205,651	3	191,845	3	177,057	3	161,847	3	146,638
1/4		1/4		1/4		1/4		1/4	217,248	1/4	205,374	1/4	191,548	1/4	176,740	1/4	161,531	1/4	146,322
1/2		1/2		1/2		1/2		1/2	217,119	1/2	205,095	1/2	191,248	1/2	176,423	1/2	161,214	1/2	146,005
3/4		3/4		3/4		3/4		3/4	216,989	3/4	204,816	3/4	190,949	3/4	176,106	3/4	160,897	3/4	145,688
4		4		4		4		4	216,859	4	204,538	4	190,649	4	175,789	4	160,580	4	145,371
1/4		1/4		1/4		1/4		1/4	216,730	1/4	204,259	1/4	190,350	1/4	175,472	1/4	160,263	1/4	145,054
1/2		1/2		1/2		1/2		1/2	216,547	1/2	203,979	1/2	190,048	1/2	175,155	1/2	159,946	1/2	144,737
3/4		3/4		3/4		3/4		3/4	216,365	3/4	203,699	3/4	189,747	3/4	174,839	3/4	159,629	3/4	144,420
5		5		5		5		5	216,182	5	203,418	5	189,446	5	174,522	5	159,313	5	144,104
1/4		1/4		1/4		1/4		1/4	216,000	1/4	203,138	1/4	189,145	1/4	174,205	1/4	158,996	1/4	143,787
1/2		1/2		1/2		1/2		1/2	215,765	1/2	202,856	1/2	188,842	1/2	173,888	1/2	158,679	1/2	143,470
3/4		3/4		3/4		3/4		3/4	215,529	3/4	202,574	3/4	188,539	3/4	173,571	3/4	158,362	3/4	143,153
6		6		6		6		6	215,294	6	202,292	6	188,237	6	173,254	6	158,045	6	142,836
1/4		1/4		1/4		1/4		1/4	215,059	1/4	202,011	1/4	187,934	1/4	172,937	1/4	157,728	1/4	142,519
1/2		1/2		1/2		1/2		1/2	214,797	1/2	201,727	1/2	187,629	1/2	172,621	1/2	157,411	1/2	142,202
3/4		3/4		3/4		3/4		3/4	214,536	3/4	201,443	3/4	187,325	3/4	172,304	3/4	157,095	3/4	141,886
7		7		7		7		7	214,274	7	201,160	7	187,021	7	171,987	7	156,778	7	141,569
1/4		1/4		1/4		1/4		1/4	214,013	1/4	200,876	1/4	186,716	1/4	171,670	1/4	156,461	1/4	141,252
1/2		1/2		1/2		1/2		1/2	213,750	1/2	200,591	1/2	186,410	1/2	171,353	1/2	156,144	1/2	140,935
3/4		3/4		3/4		3/4		3/4	213,487	3/4	200,306	3/4	186,104	3/4	171,036	3/4	155,827	3/4	140,618
8		8		8		8		8	213,224	8	200,021	8	185,798	8	170,719	8	155,510	8	140,301
1/4		1/4		1/4		1/4		1/4	212,961	1/4	199,735	1/4	185,492	1/4	170,403	1/4	155,193	1/4	139,984
1/2		1/2		1/2		1/2		1/2	212,696	1/2	199,449	1/2	185,184	1/2	170,086	1/2	154,877	1/2	139,668
3/4		3/4		3/4		3/4		3/4	212,432	3/4	199,162	3/4	184,876	3/4	169,769	3/4	154,560	3/4	139,351
9		9		9		9		9	212,167	9	198,875	9	184,569	9	169,452	9	154,243	9	139,034
1/4		1/4		1/4		1/4		1/4	211,902	1/4	198,588	1/4	184,261	1/4	169,135	1/4	153,926	1/4	138,717
1/2		1/2		1/2		1/2		1/2	211,636	1/2	198,300	1/2	183,951	1/2	168,818	1/2	153,609	1/2	138,400
3/4		3/4		3/4		3/4		3/4	211,370	3/4	198,011	3/4	183,642	3/4	168,501	3/4	153,292	3/4	138,083
10		10		10		10		10	211,104	10	197,723	10	183,333	10	168,185	10	152,975	10	137,766
1/4		1/4		1/4		1/4		1/4	210,837	1/4	197,434	1/4	183,023	1/4	167,868	1/4	152,659	1/4	137,450
1/2		1/2		1/2		1/2		1/2	210,569	1/2	197,144	1/2	182,712	1/2	167,551	1/2	152,342	1/2	137,133
3/4		3/4		3/4		3/4		3/4	210,301	3/4	196,854	3/4	182,401	3/4	167,234	3/4	152,025	3/4	136,816
11		11		11		11		11	210,033	11	196,564	11	182,090	11	166,917	11	151,708	11	136,499
1/4		1/4		1/4		1/4		1/4	209,765	1/4	196,273	1/4	181,779	1/4	166,600	1/4	151,391	1/4	136,182
1/2		1/2		1/2		1/2		1/2	209,493	1/2	195,980	1/2	181,467	1/2	166,283	1/2	151,074	1/2	135,865
3/4		3/4		3/4		3/4		3/4	209,221	3/4	195,688	3/4	181,154	3/4	165,967	3/4	150,757	3/4	135,548

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE AND 45' 3" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

3 PORT

ULLAGE TABLE

CLOSED GAUGING

GAUGE HEIGHT 18'-10 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

CLOSED GAUGING USING HERMETIC GAUGE TAPE

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0	193,705	0	183,321	0	172,176	0	160,557	0	148,913
1/4		1/4		1/4		1/4		1/4		1/4	193,495	1/4	183,095	1/4	171,936	1/4	160,315	1/4	148,649
1/2		1/2		1/2		1/2		1/2		1/2	193,286	1/2	182,870	1/2	171,695	1/2	160,072	1/2	148,386
3/4		3/4		3/4		3/4		3/4		3/4	193,077	3/4	182,645	3/4	171,455	3/4	159,830	3/4	148,123
1		1		1		1		1		1	192,867	1	182,419	1	171,215	1	159,588	1	147,859
1/4		1/4		1/4		1/4		1/4		1/4	192,657	1/4	182,193	1/4	170,973	1/4	159,346	1/4	147,581
1/2		1/2		1/2		1/2		1/2		1/2	192,446	1/2	181,966	1/2	170,731	1/2	159,103	1/2	147,304
3/4		3/4		3/4		3/4		3/4		3/4	192,235	3/4	181,740	3/4	170,490	3/4	158,861	3/4	147,026
2		2		2		2		2		2	192,025	2	181,513	2	170,248	2	158,619	2	146,748
1/4		1/4		1/4		1/4		1/4		1/4	191,813	1/4	181,286	1/4	170,006	1/4	158,377	1/4	146,455
1/2		1/2		1/2		1/2		1/2		1/2	191,601	1/2	181,058	1/2	169,764	1/2	158,134	1/2	146,163
3/4		3/4		3/4		3/4		3/4	200,319	3/4	191,389	3/4	180,830	3/4	169,521	3/4	157,892	3/4	145,870
3		3		3		3		3	200,261	3	191,177	3	180,602	3	169,279	3	157,650	3	145,578
1/4		1/4		1/4		1/4		1/4	200,162	1/4	190,964	1/4	180,373	1/4	169,037	1/4	157,407	1/4	145,271
1/2		1/2		1/2		1/2		1/2	200,062	1/2	190,751	1/2	180,144	1/2	168,794	1/2	157,165	1/2	144,964
3/4		3/4		3/4		3/4		3/4	199,963	3/4	190,538	3/4	179,915	3/4	168,552	3/4	156,923	3/4	144,656
4		4		4		4		4	199,864	4	190,325	4	179,686	4	168,310	4	156,681	4	144,349
1/4		1/4		1/4		1/4		1/4	199,725	1/4	190,110	1/4	179,456	1/4	168,068	1/4	156,438	1/4	144,034
1/2		1/2		1/2		1/2		1/2	199,585	1/2	189,896	1/2	179,226	1/2	167,825	1/2	156,196	1/2	143,720
3/4		3/4		3/4		3/4		3/4	199,446	3/4	189,682	3/4	178,995	3/4	167,583	3/4	155,954	3/4	143,405
5		5		5		5		5	199,306	5	189,467	5	178,765	5	167,341	5	155,711	5	143,090
1/4		1/4		1/4		1/4		1/4	199,126	1/4	189,252	1/4	178,534	1/4	167,099	1/4	155,469	1/4	142,775
1/2		1/2		1/2		1/2		1/2	198,946	1/2	189,036	1/2	178,302	1/2	166,856	1/2	155,227	1/2	142,460
3/4		3/4		3/4		3/4		3/4	198,766	3/4	188,820	3/4	178,070	3/4	166,614	3/4	154,985	3/4	142,145
6		6		6		6		6	198,587	6	188,605	6	177,839	6	166,372	6	154,742	6	141,830
1/4		1/4		1/4		1/4		1/4	198,387	1/4	188,388	1/4	177,606	1/4	166,129	1/4	154,501	1/4	141,515
1/2		1/2		1/2		1/2		1/2	198,187	1/2	188,171	1/2	177,373	1/2	165,887	1/2	154,259	1/2	141,200
3/4		3/4		3/4		3/4		3/4	197,987	3/4	187,954	3/4	177,140	3/4	165,645	3/4	154,017	3/4	140,885
7		7		7		7		7	197,787	7	187,737	7	176,908	7	165,403	7	153,775	7	140,570
1/4		1/4		1/4		1/4		1/4	197,585	1/4	187,519	1/4	176,674	1/4	165,160	1/4	153,534	1/4	140,255
1/2		1/2		1/2		1/2		1/2	197,384	1/2	187,301	1/2	176,439	1/2	164,918	1/2	153,292	1/2	139,941
3/4		3/4		3/4		3/4		3/4	197,183	3/4	187,083	3/4	176,205	3/4	164,676	3/4	153,050	3/4	139,626
8		8		8		8		8	196,982	8	186,865	8	175,971	8	164,433	8	152,809	8	139,311
1/4		1/4		1/4		1/4		1/4	196,779	1/4	186,645	1/4	175,736	1/4	164,191	1/4	152,567	1/4	138,996
1/2		1/2		1/2		1/2		1/2	196,577	1/2	186,426	1/2	175,501	1/2	163,949	1/2	152,325	1/2	138,681
3/4		3/4		3/4		3/4		3/4	196,374	3/4	186,206	3/4	175,265	3/4	163,707	3/4	152,083	3/4	138,366
9		9		9		9		9	196,172	9	185,987	9	175,030	9	163,464	9	151,842	9	138,051
1/4		1/4		1/4		1/4		1/4	195,968	1/4	185,766	1/4	174,793	1/4	163,222	1/4	151,600	1/4	137,736
1/2		1/2		1/2		1/2		1/2	195,764	1/2	185,546	1/2	174,557	1/2	162,980	1/2	151,358	1/2	137,421
3/4		3/4		3/4		3/4		3/4	195,561	3/4	185,325	3/4	174,320	3/4	162,738	3/4	151,116	3/4	137,106
10		10		10		10		10	195,357	10	185,104	10	174,084	10	162,495	10	150,875	10	136,791
1/4		1/4		1/4		1/4		1/4	195,152	1/4	184,882	1/4	173,846	1/4	162,253	1/4	150,633	1/4	136,476
1/2		1/2		1/2		1/2		1/2	194,947	1/2	184,660	1/2	173,608	1/2	162,011	1/2	150,391	1/2	136,162
3/4		3/4		3/4		3/4		3/4	194,742	3/4	184,438	3/4	173,370	3/4	161,768	3/4	150,150	3/4	135,847
11		11		11		11		11	194,537	11	184,217	11	173,132	11	161,526	11	149,908	11	135,532
1/4		1/4		1/4		1/4		1/4	194,329	1/4	183,993	1/4	172,893	1/4	161,284	1/4	149,659	1/4	135,217
1/2		1/2		1/2		1/2		1/2	194,121	1/2	183,769	1/2	172,654	1/2	161,042	1/2	149,410	1/2	134,902
3/4		3/4		3/4		3/4		3/4	193,913	3/4	183,545	3/4	172,415	3/4	160,799	3/4	149,162	3/4	134,587

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE AND 41' 5" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK



BARGE "MGM 502"

HULL NUMBER: TRINITY MARINE - 1487

3 STBD

ULLAGE TABLE CLOSED GAUGING

GAUGE HEIGHT 18'-10 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

CLOSED GAUGING USING HERMETIC GAUGE TAPE

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	200,759	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	200,729	3/4		3/4		3/4		3/4	
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4		1/4		1/4		1/4		1/4		1/4	200,670	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	200,571	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	200,471	3/4		3/4		3/4		3/4	
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4		1/4		1/4		1/4		1/4		1/4	200,272	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	200,132	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	199,992	3/4		3/4		3/4		3/4	
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4		1/4		1/4		1/4		1/4		1/4	199,713	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	199,532	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	199,351	3/4		3/4		3/4		3/4	
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4		1/4		1/4		1/4		1/4		1/4	199,171	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	198,990	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	198,900	3/4		3/4		3/4		3/4	
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4		1/4		1/4		1/4		1/4		1/4	188,974	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	188,839	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	188,623	3/4		3/4		3/4		3/4	
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4		1/4		1/4		1/4		1/4		1/4	189,839	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	189,623	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	189,406	3/4		3/4		3/4		3/4	
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4		1/4		1/4		1/4		1/4		1/4	189,190	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	188,974	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	188,756	3/4		3/4		3/4		3/4	
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4		1/4		1/4		1/4		1/4		1/4	188,538	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	188,321	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	188,103	3/4		3/4		3/4		3/4	
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4		1/4		1/4		1/4		1/4		1/4	187,884	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2	187,665	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4	187,446	3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE, LOCATED 12' 9" OFF CENTERLINE
AND 41' 5" FORWARD OF AFT. BULKHEAD.

NOTE: USE TRIM CORRECTION WHEN REQUIRED. FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT & ON EVEN KEEL.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REISSUE DUE TO REVISED GAUGE HEIGHTS.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/25/95 BY: KS-RF

DATE VERIFIED: 10/22/2015

DATE REISSUED: 10/26/2015 BY: WHF

INTERTEK

